

LCD Television Users Guide

1080p HDTV

LT-32P300 32" class (31.5" Diagonal)

LT-42P300 42" class (42" Diagonal)

LT-42PM30 42" class (42" Diagonal)







As an "ENERGY STAR®" partner, JVC has determined that this product or product model meets the "ENERGY STAR®" guidelines for energy efficiency.

Please read the important notice for energy efficiency on page 7.

Important Note:

In the spaces below, enter the model and serial number of your television (located at the rear of the television cabinet). Staple your sales receipt or invoice to the inside cover of this guide. Keep this user's guide in a convenient place for future reference. Keep the carton and original packaging for future use.

Serial Number:	
Model Number:	

Warnings



CAUTION

RISK OF ELECTRIC SHOCK
DO NOT OPEN



CAUTION: To reduce the risk of electric shock. Do not remove cover (or back). No user serviceable parts inside. Refer servicing to qualified service personnel.



The lightning flash with arrowhead symbol, within an equilateral triangle is intended to alert the user to the presence of uninsulated 'dangerous voltage' within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.

WARNING: TO PREVENT FIRE OR SHOCK HAZARDS, DO NOT EXPOSE THIS

APPARATUS TO RAIN OR MOISTURE.

CAUTION: TO INSURE PERSONAL SAFETY, OBSERVE THE FOLLOWING RULES

REGARDING THE USE OF THIS UNIT.

- 1. Operate only from the power source specified on the unit.
- 2. Avoid damaging the AC plug and power cord.
- 3. Avoid improper installation and never position the unit where good ventilation is unattainable.
- 4. Do not allow objects or liquid into the cabinet openings.
- 5. In the event of trouble, unplug the unit and call a service technician. Do not attempt to repair it yourself or remove the rear cover.

Changes or modifications not approved by JVC could void the warranty.

- * When you don't use this TV set for a long period of time, be sure to disconnect both the power plug from the AC outlet and antenna for your safety.
- * To prevent electric shock do not use this polarized plug with an extension cord, receptacle or other outlet unless the blades can be fully inserted to prevent blade exposure.

IMPORTANT RECYCLING INFORMATION

This product has a fluorescent lamp that contains mercury. Disposal of these materials may be regulated in your community due to environmental considerations. For disposal or recycling information, please contact your local authorities or for USA, the Electronic Industries Alliance: http://www.eiae.org

Do not attempt to service the product yourself

Caution


To prevent electrical shock, do not open the cabinet. There are no user serviceable parts inside. Please refer to qualified service personnel for repairs.

Important Safety Instructions

- 1) Read these instructions.
- 2) Keep these instructions.
- 3) Heed all warnings.
- 4) Follow all instructions.
- 5) Do not use this apparatus near water.
- 6) Clean only with dry cloth.
- Do not block any ventilation openings. Install in accordance with the manufacturer's instructions.
- 8) Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- 9) Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
- **10)** Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
- 11) Only use attachments/accessories specified by the manufacturer.
- 12) Use only with a cart, stand, tripod, bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.



- 13) Unplug this apparatus during lightning storms or when unused for long periods of time.
- 14) Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.
- **15)** Apparatus shall not be exposed to dripping or splashing and no objects filled with liquids, such as vases, shall be placed on the apparatus.
- **16)** Place the television on a stable, flat surface. Failure to do so can result in the television falling, causing injury.
- 17) Do not allow young children to play around or on the television. Do not hang from the TV. Failure to do so can result in the television falling, causing injury.
- **18)** Do not allow young children to play with the plastic bag that came with the television when you unpacked it. Failure to do so can result in suffocation, causing injury.
- 19) Avoid improper installation and never position the unit where good ventilation is impossible. When installing this TV, distance recommendations must be maintained between the set and the wall, as well as inside a tightly enclosed area or piece of furniture. Keep to the minimum distance guidelines shown for safe operation.



Important Safety Instructions

20) Cautions for installation

- Do not tilt the TV towards the left or right, or towards the back.
- Install the TV in a corner on the floor so as to keep cords out of the way.
- The TV will generate a slight amount of heat during operation. Ensure that sufficient space is available around the TV to allow satisfactory cooling.
- Have two people remove the TV from the box with the screen facing away from you. It's possible your clothing, (such as a belt buckle or button) may scratch the front of the TV. Do the same when moving the TV to another location.



- 21) When attaching to a wall, use the optional JVC wall mounting unit. For LT-32P300: JVC-XUF-2637 LCD FLAT WALL MOUNT For LT-42P300 / LT-42PM30: JVC-XUF-2637 LCD FLAT WALL MOUNT Caution
 - Consult qualified installers.
 - See the included manual on mounting procedures.
 - JVC is not responsible for damages or injuries due to improper mounting.
 - Use with other wall mounting unit is capable of resulting in instability or causing possible injury.
- 22) Make enough room for inserting and removing the power plug. Place the TV as close to the outlet as possible. The main power supply for this TV is controlled by inserting or removing the power plug.
- 23) Batteries shall not be exposed to excessive heat such as sunshine, fire or the like.
- **24)** When this TV is connected to the wall outlet, it is always on standby even when all the LED lamps are not lit. To shut down the TV, unplug the TV from the wall outlet.

FCC Notice:

Caution: Changes or modifications not expressly approved by party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.


Table of Contents

Important Safety Instructions 3	Guide
Getting Started	PC
Key Features 6 Logos & Licenses 7 Package Contents 8	PC H-Position 38 PC V-Position 38 Reset 38
Basics	Sound 39 MTS 39 Digital Audio (ML) 39
TV Basic Controls	Surround 38 Sound Status 39 Audio Reset 39 Power 40 Power Indicator 40
Advanced	Illumination
Customizing your TV 24 Picture 26 Video Status 26 Color Temp 27 Color Management 27 Dynamic Gamma 27 Smart Picture 27 Digital VNR 27 MPEG NR 27 Natural Cinema 27 Video Reset 27 Display 28 Video Input Label 28 Photo Viewer 28 Aspect 30	Setting 41 Plug-In Menu 41 Time Zone 41 D.S.T. 41 Language 42 Noise Mute 43 Front Panel Lock 44 Transparency 41 Auto Shut Off 42 Control with HDMI 42 System Info 42 Auto Demo 42 Optical Out 43 PC Smart Input 43 Sync Mode 43
TV 31 Closed Caption 31 C.C. Type 31 C.C. Setting 31	iPod
Tuner Mode	Etc.
Adto Scarr 32 Add Channel 32 Edit Channel 33 V-Chip 33 Password 34 MPAA 35 Can. Eng. 36 Can. Fre. 36	Programming Codes 53 Connecting Your Devices 58 Troubleshooting

Key Features

Your JVC TV is equipped with many features. Here is some key features highlighted in detail.

Simple playback of video and music on TV. You can charge your iPod. You can watch a program while listening to the iPod (source of program must be from TV's Internal Tuner). You can view photos from the iPod while listening to the iPod.



Stunning picture quality via 1920x1080 Full HD panel. Dynamic Gamma and Color Management give further fine tuned picture reproduction. Smart Picture adjusts the best possible picture quality automatically scene by scene based on the incoming signal from any source!



3 JVC exclusive oblique cone speakers provide excellent TV sound quality. OmniSurround sound provides you 4 different settings based on the program you are watching. The equalizer will fine tune your listening preferences.



Full connectivity with 3 HDMI, 2 Component, 1 S-video and others. The variety of connections are explained in pages. 58 to 63.













Sapect mode will show every pixel you are getting in High Definition. The Full Native mode will show 100% of 1080p. Full – with slight overscan. Panorama, Cinema will fill the screen with various aspect settings.



Full or Widescreen Mode

Logos & Licenses



As an "ENERGY STAR®" partner, JVC has determined that this product or product model meets the "ENERGY STAR®" quidelines for energy efficiency.

This JVC Television is factory set to "Home" mode, which is optimized for normal home viewing. This setting reduces power consumption to help the environment and to comply with ENERGY STAR® qualification.

Enabling certain features and functionality in this TV (e.g., Video Status) may increase its energy consumption, possibly beyond the limits required for ENERGY STAR® qualification.





iPod is a trademark of Apple Inc., registered in the U.S. and other countries.



Manufactured under license from Dolby Laboratories. "Dolby", and the double-D symbol are trademarks of Dolby Laboratories.



HDMI, the HDMI Logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.

Notice:

 The open source software is embedded in this product. For more information, please go to: http://software.jvc.com/opensource/lnx/DP/08_AtscQam_T/download.html

Package Contents

Television x 1

Remote Control x 1





Bottom Cover x 1




Screw x 1



Insert the batteries

Use two "AA" batteries (included).

Place the "-" end in the unit first, making sure the "+" and "-" markings are correct. Place the "-" end in the unit first.






If this symbol is shown, it is only valid in the European Union

Caring for the frame and stand

Your TV has a glossy frame and stand which have protection sheets attached to them. Peel them off before use, but only after the TV has been properly placed. Take care with handling the glossy frame and stand because these surfaces are delicate.

Normally, light dusting with a soft, non-scratching duster will keep your TV clean. If you wish to wipe down the television, first unplug it. Then wipe gently with a soft cloth, slightly moistened with water. You can add a few drops of mild liquid detergent to the water to help remove spots of oily dirt.

- DO NOT allow liquid to enter the TV through the ventilation slots.
- · DO NOT use strong or abrasive cleaners on the TV.
- DO NOT spray liquids or cleaners directly on the TV's surface.
- DO NOT rub or scrub the TV harshly. Wipe the set gently with a soft cloth.



Caring for the Screen

The screen is treated with an electrostatic-proof coating. When it gets dirty, wipe it gently with a soft cloth. If the screen is very dirty, wipe it down with a cloth dipped in a diluted kitchen cleaner and thoroughly wrung-out. Then wipe immediately after with a clean, dry cloth.

- DO NOT apply alcohol, organic solvents (like acetone), acidic or alkaline cleansers to the screen. These will remove the coating layer and cause discolorations.
- DO NOT push or hit the screen. This could cause scratches on the screen surface and image distortions


Package Contents

Avoiding Temporary Burn-in

Displaying fixed images for extended periods of time can leave a subtle but temporary burn-in image on your screen. To avoid this, mix your viewing pattern.


Examples include, but are not limited to the following:

- · Stock-market report bars
- Shopping channel logos and pricing displays
- · Video game patterns or scoreboards
- · Bright station logos
- Internet web sites or other computer-style images
- · DVD discs, video tapes, laser discs
- Broadcast, cable, satellite channels or digital television tuners/converters



Install your TV


To prevent the TV from falling, thread the belt through the hole on the back of the stand and secure it to the TV rack.



Belt and screw (not included)


Tidying the cables

A cable holder which keeps your connection cables tidy is attached to the back of the stand.




Connect the stand

The LT-32P300 TV stand is not attached to the TV when you purchased it. Please follow the steps below on how to connect the stand to the TV.



1) Insert the TV stand onto the TV.




2) Tighten the 5 screws to the back of the TV.

Package Contents


Disconnecting the stand

If you disconnect the stand, attach the bottom cover and the screw (supplied) into the hole.


- 1) Place the TV face down on a soft cloth on a table.
- 2) Remove the screws from the back of the TV.



3) Pull out the stand from the TV.



4) Cover the hole with the supplied bottom cover and tighten the screw.




Notes:

- To re-install the stand, reverse the procedure from 4) to 1).
- If you find it difficult to remove the screws from inset screw wells, use a magnetized screwdriver.


TV Basic Controls

Front Panel



- 1 Diffuser Illumination
- 2 Dock Notes:
 - Do not use unreasonable force to the Dock.
 - When not using the Dock, close the cover.
 - Do not touch the connector pins of the Dock or the iPod terminal pins.
 - Do not put different devices on the Dock. It may cause a connection failure.
- Remote Control Sensor
- 4 Power Lamp

Side Panel




- 1 Input Change the input
- 2 MENU
 Used to access the TV's onscreen menus.
- +CHANNEL Move sequentially through the channels.
- +VOLUMERaises or lowers the volume.
- 5 POWER
 Turn the TV on or off.
- 6 Photo Viewer Connector

ı Note:

 Do not use Photo Viewer connector to connect the iPod

TV Basic Controls

Rear Panel




* This is used when you are using HDMI analog audio

Before you connect your television to another device, please refer to the proper diagrams for your specific TV and remote. These will help assist you in understanding how to connect your television to another device, as well as use the remote to set up your television. Some of the connection terminals are color coded for easy connection with the proper cables.

To find the best possible connection that your device can use, see pages 16 - 17.

For more detailed information about connecting external devices, see pages 58 - 63.




TV Basic Controls

Video

Best **Video Connection Connection Cable TV Connection** INPUT 1, 2 or 3 HDMI HDMI Cable DVI - HDMI Cable. Input 1 + DVI + Audio Audio Cable HDMI ANALOG AUDIO Component Component Video + Audio Video + Audio INPUT 4 or 5 S-Video Cable, INPUT 4 + S-Video + Audio Audio Cable **AUDIO Input** Good Composite Composite Video + Audio Video + Audio INPUT 4 or 5

Audio



Compatible Signal	Notes
Input • HDMI (Digital) SD: 480i, 480p HD: 720p, 1080i, 1080p/24Hz, 1080p/30Hz, 1080p/60Hz Audio L/R	HDMI™ (v.1.3, HDMI™ CEC Support) Please usa a High Speed HDMI™ Cable. High Speed HDMI™ Cable are tested to carry an HD signal up to 1080p and higher. See pages 62, 63.
Input • DVI (Digital) SD: 480i, 480p HD: 720p, 1080i, 1080p/24Hz, 1080p/30Hz, 1080p/60Hz • Audio L/R (Analog)	See page 61, 63.
Input • Component (Analog) SD: 480i, 480p HD: 720p, 1080i • Audio L/R (Analog)	See page 59.
Input • S-Video (Analog) • Audio L/R (Analog)	See pages 59, 61.
Input • Composite (Analog) • Audio L/R (Analog)	See page 59.

Compatible Signal	Notes
Output • Audio L/R (Digital) (PCM or Dolby Digital)	See page 60.
Output • Audio L/R (Analog) (Fixed)	See page 60.

Remote Control


The following pages gives you a brief description of each button's function. This remote can also control up to four other devices. See pages 51 - 52.


	Allows you to set the TV to turn on and set the TV to turn off automatically after a set amount of time and channel of your choice. On Timer / Input / Sleep Timer		
		Timer	
		On Timer	《 0 h 0 m ▶
		Input	0 - 0
(TIMER)		Sleep Timer	0 min
	Notes: If you set the interval of On Timer by pressing the ■ buttons, select channel at Input and press OK. After you set On Timer and turn off the TV, power lamp lights. You can check the remaining time of On Timer by displaying this menu again. You can set the interval of Sleep Timer by pressing the ■ buttons. 60 seconds before the TV turns off, a message will appear and it will count the remaining time. See page 50, "On Timer using iPod".		
POWER	Turns the TV on	or off.	
(MODE) TV STB VCR DVD AUDIO	Switch between "TV / STB / VCR / DVD / AUDIO devices. See page 51.		
W W W W	Switch between devices connected to Video-1, 2, 3, 4 and 5. For V4 (Video-4) and V5 (Video-5) you must select the signal input type first (ie. composite, S-Video, or component). To do so, you need to press the V4 or V5 button until the correct type is highlighted. Select "Composite 1" for composite video signal input, "S-Video" for S-video signal input, or "Component 1" for component video signal input. Select "Composite 2" for composite video signal input or "Component 2" for component video signal input. Select PC for PC signal input.		
1 2 3 4 \$ 6 7 8 9 0	Change channels. Input remote codes. See page 51.		
TUNE		the input channel tons, press TUNE	and select it. After pressing the :.

	Has three functions.	
	Return – Returns to the channel viewed just before the channel currently onscreen.	
RETURN*	Return+ – Lets you program a specific channel to return to while scanning through the channels using the – CH + button as you memorize the channel.	
	TV – Returns to the TV mode as you are watching a video, DVD, etc.	
	Note: • Press TUNE and RETURN+ TV buttons. This will memorize the current channel to return to while you scan through the other channels. To cancel, press TUNE and RETURN+ TV buttons again.	
- CH +	Move sequentially through the channels.	
-VOL+	Raise or lower the volume.	
iPod	Control your iPod connected to the TV. See page 46.	
MUTING	Turns the TV volume to 0. Press again to restore the volume.	
MENU	Used to access the TV's onscreen menus. See page 24.	
OK)	Used to navigate through the TV's onscreen menus.	
BACK	Go back to a previous onscreen menu or to correct a mistake.	



Remote Control





^{*} See page 52 for buttons that control your external devices.



Initial Setup


When you turn on your TV for the first time, the Initial Setup menu appears automatically. These menus will help you setup your TV with basic information for **Language**, **Time** and **Tuner Setup**. You can also set this setting in the **Plug In Menu**.

1) Turn on the TV



2) Set the language






3) Set the mode


Select **Home** for use at home. **Retail** is used in the TV store.






4) Set time attribute





Time Zone	Choose the time zone you live in.
D.S.T.	Changes the clock automatically for daylight saving time. On / Off

5) Set TV attribute



Tuner Mode	Choose Air (antenna) or Cable
------------	-------------------------------

Notes:

- If you use a set top box (satellite or cable box), press Exit to skip this step.
- If you want to turn off the Auto Demo, press the MENU button.

"Thank you! Setup is now complete"

Cable Users: After your auto tuner setup is complete, you may, (depending on the type of hookup), have only 1 channel, usually 2, 3 or 4 in the auto tuner memory. This is normal.


We have an important note for customers who subscribe to basic cable services (do not have a separate cable box) and plan to use their JVC TV remote control to select channels.

Once you run the Auto Tuner Setup (which detects and programs all the channels your TV is receiving through the RF input), every channel number available from your cable company will appear in your television's Channel Summary and they will all be marked as available for scanning. Even though every channel is detected and appears as available, you will only be able to view those that you specifically subscribe to from your cable company. This will likely mean there are blank channels between those channels you wish to scan or "surf".

We apologize for any inconvenience this may cause but it is important to note that this is not a malfunction of your television. If you want to sequentially scan those channels you subscribe to without blank ones in between, you can contact your cable company for their cable box and remote, or manually deselect them using the edit / skip feature on page 33.

Customizing Your TV

You can customize your TV by operating the menus on the TV screen. The TV screen displays the Menu Bar, Menu Item and available items are highlighted.




Using the menus


1) Display the menu bar



2) Display the desired menu



3) Change or adjust the setting



4) Close the menu



Note:

• Depending on the situation (analog channels, digital channels, video signal format, external inputs, etc.), some items will be displayed in gray and can not be selected.

Customizing your TV



Video Status

Choose different display settings according to personal preferences. You can use this feature with TV, V1, V2, V3, V4 and V5.

Standard

Resets the picture display to the factory settings.

Dynamic

Gives a vivid picture with better contrast when viewing in a brightly lit room.

Theater

Gives a rich, film-like look to video when viewing in a dimly lit room.

Gamo

Used for when you are playing video games connected to your TV.

Notes:

- Each mode is memorized for each analog TV / composite / S-Video, Digital TV, HDMI, component signal input.
- Each video status can be chosen along with your favorite picture settings (Tint, Color, Contrast, Bright, Detail and Backlight).
- Allows you to change and adjust the way the picture appears on your television.

Tint

Allows you to adjust the levels of red and green on your TV.

Color

Allows you to make all the colors on your TV appear more vivid or subtle.

Contrast

Allows you to adjust the level of black and white on your TV giving you a darker or brighter picture overall.

Bright

Allows you to adjust the overall brightness of the TV.

Detail

Allows you to adjust the level of fine detail on your TV.

Backlight

Allows you to adjust the brightness of the internal lamp which effects the overall brightness of the TV.

Color Temp

Allows you to adjust colors to look as accurate as possible. Cool / Natural / Warm

Color Management

Allows you to compensate for dull colors to ensure dull colors are reproduced with natural hues. On / Off

Dynamic Gamma

Allows you see more detail in very dark or bright areas so these areas don't appear "muddied". Normally, this feature should be left **On** for optimum picture quality. **On** / **Off**

Smart Picture

Allows the TV to adjust the brightness level automatically to a level suitable for what you are watching. On / Off

Digital VNR

This function can be selected to change the effect of **Digital VNR** (Video Noise Reduction).

High - Adjusts the effect maximally

Low – Adjusts the effect minimally

Off - Function is turned off.

MPEG NR

This function effects the block noise removal and mosquito NR (Noise Reduction) simultaneously.

Note:

· When you are receiving digital channels, block noise removal will have no effect.

Natural Cinema

Allows you to compensate for image blurring when the original video you are watching was shot at 24 frames/sec, and is broadcast at 30 frames/sec. This conversion process is known as "TELECINE". **On / Off**

Notes:

- When you are receiving a 480p, 720p or 1080p signal, Natural Cinema cannot be selected.
- Natural Cinema is only applied for NTSC, SD 480i and HD 1080i signals.

Video Reset

Resets all picture adjustments at once to the default settings, except for Natural Cinema.

Customizing your TV



Video Input Label

Allows you to label all the devices you have connected to the TV that use the VIDEO-1, 2, 3, 4 and 5 inputs.





Photo Viewer

Photo Viewer allows you to enjoy your digital pictures stored on your USB Mass Storage Class devices. You can view them on the TV in high quality if USB Mass Storage device is connected to the Photo Viewer terminal on the TV.



When you select **Thumbnail view** and press **OK**, a folder or file list will be displayed. Select your folder by using the ◀ ▶ or ▲ ▼ buttons. Choose a picture and press the **OK** button. It will now be shown on the screen. To move to the next picture, press the ▶ button. To move to the previous picture, press the ◀ button.


* If there is more than 10 images, those images will be shown in the next page. To go to the next page, select the last image on the page and press the ▶ or ▼ buttons. To go back to the previous page, press the ◀ or ▲ buttons.

Slide Show

- In **Thumbnail View** screen, you can view slide show by pressing the **TUNE** button.

Photo Viewer with iPod

In Thumbnail View screen, you can listen to music content stored on your iPod. Start your iPod to play music, and put it on the TV's Dock. You cannot operate iPod with TV remote.



Interval

Choose Slide Show Interval of 5, 10 or 20 seconds by pressing the ◀ ▶ buttons.

Notes:

- Gently pull out your USB device from the Photo Viewer terminal after finishing the Photo Viewer menu.
- Use the supplied USB cable that came with your device. Do not use HUB or USB extension cable
- Photo Viewer cannot be guaranteed to work with all USB Mass Storage Devices. It may take some time to display or it may not display correctly.
- Please refer to the Customer Support website at www.jvc.com/support for information and notes regarding your devices you wish to connect.
- Supported file formats are ".jpg" or ".JPG".
- All your stored data should be backed up first as a precaution before connecting to the TV.
- Depending on your stored file size, it can take extra time to display "Photo Viewer" page.
- Depending on your stored file type, some data may not be able to be displayed in the thumbnail screen.
- · You can not display photos using the SD card from the JVC Everio Camera.




Customizing your TV


Aspect

Allows you to adjust the way the image appears on your TV based on the format that is being received.


Full - When watching a 4:3 aspect picture, it is stretched to fit the dimensions of the TV. When watching a 16:9 aspect picture, it displays 95% of the ratio.



Panorama - When watching a 4:3 aspect picture it is stretched to fit the dimensions of the 16:9 aspect screen.



Full Native - This ratio displays 100% of the ratio. Normally, all aspects except for Full Native display about 95%.




Regular - When watching a 4:3 aspect picture without modifying the original picture to fit the dimensions of your 16:9 screen.


Black bars will appear along the picture's sides. The picture will be centered within the boundaries of the 16:9 screen.



Cinema - This ratio "zooms in" on the center part of a 4:3 aspect picture, blowing it up proportionally to fill the 16:9 screen.



Slim - This aspect mode shrinks the screen of a 16:9 broadcast to 4:3. There are some programming that is already stretched by mistake at broadcasting companies, so this mode corrects it. Black side bars will appear.



Notes

- Depending on the signal format, some aspect modes are unavailable.
- If you change the aspect mode after the television changed it to Full automatically, the television will change to the aspect mode you choose. It also turns to Full automatically when the TV receives an HD (1080p, 1080i or 720p) signal.
- In iPod mode, selections of Aspect menu changes to Full / Regular / 16:9 Mini / 4:3 Mini.



Closed Caption

Allows you to select the mode of the closed caption. First you must set the **MODE** to either **TV**, **STB** or **VCR** on your remote. **On / Smart / Off**

Note:


 Smart caption will appear when you press the MUTING button only on channels where the broadcast contains closed captioning.

C.C. Type

Allows you to select the type of the closed caption. **Basic** is for analog channel's cation, and **Advanced** is for digital channel's caption. **Auto / Basic / Advanced**

C.C. Setting

You can choose between caption or text in mode to decide how closed captioning will appear.



Analog CC

Choose the CC feature that you like for analog closed captioning.

Digital CC

Choose the CC feature that you like for digital closed captioning.

Font

Choose the font that you like for closed captioning.

Font Size

Choose how big the text appears in closed captioning.

Font Style

Choose the style of the font in closed captioning.

Text Color

Choose the color of the text in closed captioning.

Text Opacity

Choose how translucent the text appears in closed captioning.

Customizing your TV

BG Color

Choose the background box color for the Closed Captioning text.

BG Opacity

Choose how translucent the background box color for the Closed Captioning text.

Edge Color

Choose the color of the border of the background box color for the Closed Captioning text.

Note:

The Font, Font Size, Font Style, Text Color, Text Opacity, BG Color, BG Opacity and BG
Color settings will not apply to closed caption of analog channels. In addition, some of these
settings for closed caption for digital channels may or may not be available, depending on the
closed captioning data being broadcast.

Tuner Mode

If you skipped this step in the initial setup or your setup has changed, you can redo your setup in this menu. Air / Cable

Autoscan


Allows you to scan through all available channels your TV can receive, and memorizes them.

Note:

 The Autoscan is finished when the message "Scanning has completed" appears on the screen.

Add Channel


Allows you to add analog channels. Regarding digital channels, the only channels that will appear are the ones that are being broadcast.



Enter the new channel number

Edit Channel

Allows you to skip channels when using the **+ CH –** button. "u" means don't skip, " " means to skip. You can still access those skipped channels manually using the number buttons on the remote.



V-Chip

Allows you to block channels or content that you deem inappropriate for children.

Notes:

- V-CHIP will not work with video signals from VCRs, DVD players, Blu-ray or camcorders connected to the TV.
- (For Canadian viewers only) V-CHIP is designed specifically for the US and may not work properly in Canada.

When entering the password -

When you try and access the **V-Chip** menu, "**Please input password**" will appear. Press the "0" button four times on your remote to access the **V-Chip** menu for the first time.







Customizing your TV

- When you lock or unlock channels -

You can lock or unlock ratings as shown below.





Note:

· If you lock a rating, any rating that is higher is automatically blocked.

Password



You can change the four digit password using the number buttons on your remote.


* If you forget your password, unplug the TV from the wall and then plug it back in. Your password will reset to "0000"

1) Set a new password



Enter the four digit number

2) Confirm and set



Litter the loar digit number

MPAA



This setting is based on the US Motion Picture Association of America (MPAA) ratings system.

NR - Not Rated.

Any type of programming that does not contain a rating.

G - General Audience.

Suitable for all ages.

PG - Parental Guidance Suggested.

Suitable for all ages with parental guidance.

PG 13 - Parents Strongly Cautioned.

Intended for viewers 13 years or older.

R - Restricted.

Not recommended for viewers 17 years without parental guidance.

NC-17 - No One Under 17.

Not intended for viewers 17 years or younger.

X - No One Under 18.

Not intended for viewers 18 years or younger.

Viewing Guidelines:

At the beginning of a program, the program will display its rating and the content it contains (Except for unrated programming).

A program can contain any or all of the following:

V/FV - VIOLENCE/FANTASY VIOLENCE

S - SEXUAL Content

L - Strong LANGUAGE

D – Suggestive **DIALOG**



Customizing your TV

Can. Eng.



This setting is based on the Canada ratings system.

E - Exempt.

Any type of programming that does not contain a rating.

C - Intended for children.

Suitable for all ages.

C8+ - Intended for children over 8 years old.

Suitable for all ages over 8 years.

G - General Audience.

May contain material not suited for younger viewers.

PG - Parental Guidance.

May contain material not suited for younger viewers. Parents may consider some content not appropriate for children 8 - 13 years old.


14+ - 14 Years or Older.

Parents strongly urged to use their discretion in allowing viewing by persons under 14.

18+ - Adult.

Intended for viewers 18 years or older.

Can. Fre.



For instructions on **Can. Fre.**, please see page 36 in the French user's guide.

TVPG



This setting is based on the US ratings system.

TV Y - Appropriate for all children.

Intended for all children 2 - 6 years old.

TV Y7 – Appropriate for older children.

Intended for children 7 years or older.

TV G - General Audience.

Suitable for all ages.

TV PG - Parental Guidance Suggested.

Suitable for all ages with parental guidance.

TV 14 – Parents Strongly Cautioned.

Intended for viewers 14 years or older.

TV MA - Mature Audiences Only.

Intended for viewers 18 years or older.

Viewing Guidelines:

In addition to the above ratings, you can also block or allow more specific content (Except for unrated programming).

A program can contain any or all of the following:

V/FV - VIOLENCE/FANTASY VIOLENCE

S - SEXUAL Content

L - Strong LANGUAGE

D - Suggestive DIALOG

Guide

You can view program information. (Digital channels only)

Note:

 If the programming information is not being broadcast, the guide function has no effect or may display incorrect information.

Customizing your TV



Notes:

- This menu will replace the TV menu when you connect a PC to your TV terminal. See page 63.
- There are some menus that PC mode can not use. (In Picture and Sound menu)
- As for **Aspect** in the **Display** menu, only **Regular** and **Full** are available.
- When headphones are used, the **Sound** menu is not available.

Aut	o A	dius	stm	ent
$\neg u$		uju	JUII	CIIL

Adjust the screen position automatically.

Note:

 Sometimes Auto Adjustment will not operate properly. Either adjust with the following functions or change the signal.

Phase Adjustment

Adjust it when noise shows up across the screen. Also, use it when letters become blurry.

PC H-Position

Allows you to adjust the screen position horizontally.

PC V-Position

Allows you to adjust the screen position vertically.

Reset

Resets all PC mode adjustments at once to the default setting.



MTS

Allows you to listen to a program in stereo, mono sound or another language (SAP). (**Depending if available in the program**) First you must set the **MODE** to **TV** on your remote.

Notes:

- When you are receiving a digital broadcast, if there are other languages, you can change the language by pressing the ML/MTS button.
- Keep the TV in stereo mode to get the best sound quality. The sound will work in stereo
 mode even if a certain broadcast is in mono sound only.
- · Choose the mono setting to reduce excessive noise on a certain channel or broadcast.
- MTS unavailable if your television's input source is (V1, V2, V3, V4, V5).
- · ML/MTS will not work when you are using the HDMI.

Digital Audio (ML)

You can change the language if there are other languages available. (Digital channels only)

Surround

You can select the surround mode you like. Off / Movie / Music / News / Mono

Sound Status

You can choose several types of sound modes. User / Speech / Jazz / Classic / Rock

Note:

If you select User, you can customize the various sound frequencies.
 100Hz / 330Hz / 1KHz / 3.3KHz / 10KHz

Audio Reset

Resets all sound adjustments at once to the default settings.

Customizing your TV



Power Indicator

Allows you adjust the brightness of the blue power indicator light.

High – Light is brightly lit **Low** – Light is dimly lit **Off** – Light is off

Illumination

Allows you adjust the brightness of the Diffuser Illumination. See page 13.

High – Light is brightly lit Low – Light is dimly lit Off – Light is off



Plug In Menu

When you turn on your TV for the first time, the Initial Setup menu appears. If you skip it, or your setup has changed, you can set it up in this menu anytime.

Time Zone

Choose the time zone you live in and the clock sets automatically.

Atlantic / Eastern / Central / Mountain / Pacific / Alaska / Hawaii

D.S.T.

Adjust your TV's clock for Daylight Savings. On / Off

Language

Allows you to change the TV's onscreen menu languages to English, French or Spanish.

Noise Mute

Displays a blank gray screen over channels that are too weak to be received clearly. On / Off

Front Panel Lock

This allows you to lock the buttons on the side of the TV. On / Off

Transparency

Change the transparency of the menu screens. 1 / 2 / 3 / 4

Auto Shut Off

This function automatically shuts off your TV when there is no signal from the channel while the TV is on for 10 minutes. **On / Off**



Customizing your TV

Control with HDMI -

If you use a HDMI CEC compatible device, set this setting to "On".

HDMI CEC (Consumer Electronics Control) allows the TV to connect and control multiple HDMI CEC enabled devices with a single remote. CEC (Consumer Electronics Control) is an optional protocol used in HDMI.

- HDMI CEC on this TV is compliant with "High-Definition Multimedia Interface Specification".
- The TV does not support HDMI CEC functions that are not listed below.
- The TV does not guarantee to support use of all HDMI CEC enabled devices.
- Devices that are not enabled to HDMI CEC cannot be controlled with this TV.

- Control the TV using the HDMI CEC enabled device -

- Turn the TV on and switch to the video source of the operating device.
- · Switch to the video source of the operating device.
- Turn the TV off with the HDMI CEC enabled device you are viewing.
- For operating instructions of the device, refer to the device's manual.

- Control the HDMI CEC enabled device using the TV -

- · Turn off the operating device by turning off the TV.
- · Some device may not support this function. For more details refer to the device's manual.

- Send status of the TV to the HDMI CEC enabled device -

- · When switching the TV's external input or channel.
- · When switching the TV's menu language.
- Information regarding behavior of the device when status is received, refer to the external device's manual.

If HDMI CEC does not work correctly:

 When HDMI CEC enabled device is connected to INPUT 1, INPUT 2 or INPUT 3 with an HDMI cable, you may not be able to control TV's external input. To solve the problem set this setting to "Off".

System Info ----

You can confirm the TV's software version.

Auto Demo

Auto Demo explains this TV's features to you.

- The Auto Demo mode will start automatically when you set Retail in Initial Setup.
- If you press any button on the television or remote, with the exception of POWER or MENU, the Auto Demo mode will stop for 30 seconds. After 30 seconds have passed with no operation, the Auto Demo mode will start again.
- If you want to turn off the Auto Demo, press the MENU button.

Optical Out

You can select the optical digital sound output as PCM or DOLBY DIGITAL when your TV is connected to an amplifier that has a DOLBY DIGITAL decoder. If you select DOLBY DIGITAL, you can enjoy listening to 5.1ch sound when watching digital broadcasts. This only applies to digital channels.

Notes:

- · Optical Out can be used for both digital and analog channels.
- If your amplifier does not have DOLBY DIGITAL decoder, select PCM. If you don't select PCM, it cannot output the sound from the speakers.
- For connecting an amplifier using the optical output, see page 60.

PC Smart Input

When PC is turned on it will power on TV and put it in PC mode. Any other function is not logical. Also it is called **PC Smart Input** in TV menu so it suggest flow from PC to TV.

D-Sub / HDMI / Off

Notes:

- When you use PC Smart Input function with HDMI cable, connect your PC with HDMI terminal (INPUT 1).
- You cannot use PC Smart Input when Control with HDMI is "On".

Sync Mode

Lets iTunes synchronize your iPod when USB is connected with computer. When you start **Sync Mode**, the menu displays "**Start**" and after finished, "**Exit**" is displayed.



Press **OK** to start or exit **Sync Mode**.

- You need USB type A type B cable connector, see page 50.
- · Do not detach your iPod when you start Sync Mode.
- When you exit the Sync Mode, make sure your iPod and PC communication has finished.

Enjoy Movies/Music From Your iPod

Compatible iPod Types

* If your iPod is not listed in this chart, it is incompatible with this television.

				iPod			
	4G	photo/color	5G	classic	touch (1G)	touch (1G) (FW:2.0+) touch 2G	
	•	06	•				
	20GB 40GB	20GB 30GB 40GB 60GB	30GB 60GB 80GB	80GB 120GB 160GB	8GB 16GB 32GB	8GB 16GB 32GB	
TV Control	Mode						
Music Play	~	~	~	~	~	~	
Video Play			~	~		~	ĺ
Setting	✓ (3)	√ (3)	√ (3)	✓ (3)	✓ (3)	✓ (3)	
Pod Contro	ol Mode						
Music Play	✓ (1)	✓ (1)	✓ (1)	✓ (1)	✓ (1, 2)	✓ (1, 2)	
Video Play			V	V	√ (2)	√ (2)]
Photo Slide Show		~	V	~	~	V	
Setting	~	~	~	V	√ (2)	√ (2)	
Sync Mode	÷						
	~	~	V	~	~	~	

- Some setups will require the selection by using the iPod. (Especially those that require wheel control).
- Not available except for Music/Video play, Photo Slide Show (Pod Control Mode).
- (1) The registration of "On-The-Go" can be done by using the iPod
- (2) Due to the nature if iPod touch, lock/unlock, Main Menu and the selection of music/video has to be done using the iPod touch.
- (3) "Shuffle", "Repeat" and "Audiobook" can be available in TV Control Mode.


	iPod	nano		iPod mini
1G	2G	3G	4G	
•	3		9	
1GB 2GB 4GB	2GB 4GB 8GB	4GB 8GB	8GB 16GB	4GB 6GB
<i>V</i>	✓	<i>V</i>	V	~
		~	V	
✓ (3)	✓ (3)	✓ (3)	✓ (3)	√ (3)
✓ (1)	✓ (1)	✓ (1)	✓ (1)	✓ (1)
		V	V	
		V	V	
V	V	V	V	V
V	V	V	V	V

Enjoy Movies/Music From Your iPod

By inserting your iPod into the Dock, you can display movies or music on your TV from your iPod. Also, while inserted you can recharge your iPod.

Ready to play

1) Insert your iPod into the Dock on the front of the TV.



- When you put your iPod on the Dock, please use the Dock adapter.
- * If you have difficulty detaching the Dock adapter, gently use a flat head screwdriver to remove

Notes:

- · It is recommended that music, pictures and movies on the iPod be saved on your PC or other hard drive for backup.
- · Please be sure to connect/disconnect the iPod properly from the Dock and use the iPod without any accessory/case.
- · Please do not jiggle the iPod in the Dock to avoid connection failure or damage to the connector
- 2) Press the iPod button on your remote, then the JVC logo will appear on the screen of the iPod



- You cannot operate the iPod while the Apple logo appears on the screen of the iPod.
- · If your iPod doesn't work correctly, gently pull out and try again.
- 3) TV screen will change to the iPod start screen.






- 4) To exit the menu, press the iPod button. The TV will return to the program you were
- 5) When you detach your iPod, while gently holding the base, pull the iPod gently straight upwards.

- If the iPod does not play correctly, please update your iPod software to the latest version. For details about updating your iPod, check on the Apple web site, http://www.apple.com.
- Sound distortion may occur when playing back audio sources with high recording levels. When distortion occurs, it is recommended to turn off the equalizer of the iPod. For information on operating the iPod, see the iPod instruction manual.
- JVC is not responsible for any loss of or damage to iPod that might result from the use of this product.

TV Control Mode


You can operate the iPod by using the TV's remote control and onscreen menus.



Note:

 When Music Play is selected, you can then search by the catagories supported on your iPod, such as Playlist, Albums, Songs, Podcast etc.

Icons of Music Play screen





Enjoy Movies/Music From Your iPod

Music Play / Video Play
























(•)




You can view the last program you were watching while listening to your iPod (iTV Mode). Press iTV button when playing music.



iTV (in Music Play mode)

iTV allows you to watch TV and at the same time, listen to the music content on your iPod. When you are listening to music in Music Play mode, press the iTV button.



Note:

· Basic operations are the same as the operations when playing in Music Play mode.

Music Shuffle Play

This function selects songs randomly.

Note:

· Basic operations are the same as the operations when playing in Music Play mode.

Settings

You can adjust the settings below by pressing the ▲ ▼ and **OK** buttons.

Shuffle / Repeat / Audiobook


Pod Control Mode

You can operate the iPod using the TV's remote control and the onscreen of the iPod. Press the **PCON** button to switch between Pod Control Mode and TV Control Mode.

 Press the **PCON** button on the remote control. JVC logo will disappear and the normal screen of your iPod will appear.



2) Operate with TV remote control.



Exit message

SOUND Adjust sound status

VIDEO Adjust Video status

Adjust Aspect Ratio

(TIMER) Choose Timer

(iPod) Back to TV

* Operation varies from iPod type and/or mode

Note:

• TV will display a blank black screen when operating the iPod in Pod Control Mode.

Enjoy Movies/Music From Your iPod

Recharge iPod

While your iPod is connected to the Dock, you have the ability to recharge your iPod. The time it takes depends on how low your batteries are.

On Timer using iPod


You can set the timer to listen to your iPod music content. After you set **On Timer** and select iPod at **Input** in Timer menu. See page 18. Insert your iPod into the Dock.

Notes:

- If you want to set the timer to listen to your favorite music content, play the music content operating your iPod and press pause. And put it on the TV Dock. On Timer will start to play the selected music.
- · You cannot play Video content using On Timer function.

PC sync.

You can synchronize your iPod and PC using this TV. Please use USB type A - type B cable (not supplied) when you connect with SYNC (PC) connector.



Notes:

- · Make sure you inserted your iPod into the Dock and both PC and TV's power is on.
- Depending on your PC and USB cable, Sync Mode (page 43) may not operate correctly.
 Also, it is not recommended to use a hub between the PC and TV connection.
- · For details about syncing with iTunes, refer to your iPod's manual.
- You can display iTunes screen on TV. See page 63.

Error messages

"iPod not found"	This appears when you press the iPod button without inserting an iPod.
"Communication failed. Check Connection"	Insert your iPod again. This is a connection error.
"File not found"	This appears when your iPod has no files to play.

Programming Your Remote

You can program your remote control to operate your external devices, using the instructions and codes on pages 51 - 57.

How to set the codes

- 1) Manually turn on the device.
- Change the remote control mode according to the device by pressing the MODE button. Refer to the following list for which mode to use.

Device	Applied for these devices
TV	JVC brand only
STB	Cable Set Top Boxes, Cable/PVR Combinations, Satellite Set Top Box DBS/PVR Combination
VCR	VCR, DBS/PVR Combination, PVR, DVD/PVR Combination
DVD	DVD Player, DVD Recorder, Home Theater in a Box, Receiver
AUDIO	Amplifier, Home Theater in a Box, Receiver

- 3) Find the remote control code for your device. See pages 53 57.
- 4) Set the remote code.



Press and hold

Enter the four digit number

5) Point the remote at the device and press power. If your device did not turn off or respond, try another code.

- If your device doesn't respond to any of the codes listed or is not listed, see page 52.
- Some codes may have only limited functions. Try other codes that may have more functions.

Programming Your Remote

Search Code Function

This function searches for codes one by one if none of the codes listed for your device has worked.

1) Manually turn on the device.

Remote Control Functions

- Change the remote control mode according to the device. Press MODE to select the correct mode.
- Activate the search code function. Press and hold POWER and RETURN+/TV until the mode indicator blinks.
- 4) Point the remote at the device and press POWER. If no response, try the next code by pressing ► and POWER until the device turns off.
- 5) Press RETURN+/TV to register and set the code. Then the MODE indicator light goes out.

Notes:

If your remote still doesn't work with the "Search Code Function", use the remote that came
with your device. Your TV remote can not be guaranteed to work with all devices, modes or
operations.

Turns the selected device off - CH + Channel Up / Down SUBT. Displays Subtitles - VOL + Volume Up / Down Open / Close TV STB VCR DVD AUDIO Changes the remote control mode V1 V2 V3 V4 V5 Audio Input Selection Operates menus Playback / Record, etc.

Programming Codes

Cable Set To	р Вох	Satellite Set Top Box		Satellite Set Top Box	
ABC	0003, 0008	AlphaStar	0772	Samsung	1377, 1276, 110
Americast	0899	Chaparral	0216		1109, 1442, 160
Bell South	0899	Coolsat	1806	SKY	0856
Digeo	1187	Crossdigital	1109	Sony	0639, 1639, 164
Director	0476	DirecTV	1377, 0392, 0566,	Star Choice	0869
General Instrument	0476, 0810, 0276,		0639, 1639, 1142,	Tivo	1142, 1442
	0003		0247, 0749, 1749,	Toshiba	0749, 1749, 079
GoldStar	0144		0724, 0819, 1856,		1285
Hamlin	0009, 0273		1076, 1108, 0099,	UltimateTV	1392, 1640
Jerrold	0476, 0810, 0276,		1109, 1414, 1442,	Ultrasat	1806
	0003		1609, 1392, 1640	Uniden	0724, 0722
Memorex	0000	Dish Network System	1505, 1005, 0775,	US Digital	1535
Motorola	1376, 0476, 0810,		1170, 1775	USDTV	1535
	0276, 1187	Dishpro	1505, 1005, 0775,	Voom	0869
Pace	1877, 0237, 0008		1775	Zenith	0856, 1856
Panasonic	0000, 0008, 0107	Echostar	1505, 1005, 0775,		
Paragon	0000		1170, 1775	DBS/PVR Com	bination
Philips	1305, 0317, 0025	Expressvu	0775, 1775		
Pioneer	1877, 0877, 0144,	GE	0566	DirecTV	1377, 0392, 063
	0533	General Instrument	0869		1142, 1076, 009
Pulsar	0000	GOI	0775, 1775		1392, 1442, 164
Quasar	0000	Hisense	1535	Dish Network System	1505, 0775
Regal	0279, 0273	Hitachi	0819	Dishpro	1505, 0775
Runco	0000	HTS	0775, 1775	Echostar	1505, 0775, 117
Samsung	0000, 0144	Hughes Network Systems	1142, 0749, 1749,	Expressvu	0775
Scientific Atlanta	1877, 0877, 0477,		1442	Hughes Network Systems	1142, 1442
	8000	Humax	1790	JVC	1170
Sony	1006	iLo	1535	Motorola	0869
Starcom	0003	JVC	0775, 1170, 1775	Philips	1142, 0099, 144
Supercable	0276	LG	1414	Proscan	0392
Torx	0003	Magnavox	0724, 0722	RCA	1392
Toshiba	0000	Memorex	0724	Samsung	1442
Zenith	0000, 0525, 0899	Mitsubishi	0749	Sony	0639, 1640
		Motorola	0869	Star Choice	0869
Cable/PVR Co	ombination	Next Level	0869		
		Panasonic	0247, 0701		
Americast	0899	Pansat	1807		
Digeo	1187	Paysat	0724		
General Instrument	0810	Philips	1142, 0749, 1749,		
Jerrold	0810		0724, 1076, 0722,		
Motorola	1376, 0810, 1187		0099, 1442		
Pace	1877, 0237	Proscan	0392, 0566		
Pioneer	1877, 0877	Proton	1535		
Scientific Atlanta	1877, 0877	RadioShack	0869		
Sony	1006	RCA	0566, 0855, 0143,		
Supercable	0276		1392		
Zenith	0899				

Programming Codes

VCR mode					
VCR		VCR		VCR	
ABS	1972	Fisher	0047, 0104, 0046	Marta	0037
Admiral	0048, 0209	Fuji	0035, 0033	Matsushita	0035, 0162, 0227,
Adventura	0000	Funai	0000, 0593, 1593		1162
Aiko	0278	Garrard	0000	Media Center PC	1972
Aiwa	0037, 0000, 0307,	Gateway	1972	MEI	0035
	0479	GE	0060, 0035, 0240,	Memorex	0035, 0162, 0037,
Akai	0041, 0061, 0106		0202, 0760, 0761,		0048, 0039, 0047,
Alienware	1972		0807, 1035, 1060		0240, 0000, 0104,
America Action	0278	Go Video	0432, 0526		0209, 0046, 0307,
American High	0035	GoldStar	0037, 0209, 0038,		0479, 1037, 1048,
Asha	0240		0225, 1237		1162, 1237, 1262
Audiovox	0037, 0278	Gradiente	0000	MGA	0240, 0043, 0061
Beaumark	0240	Harley Davidson	0000	MGN Technology	0240
Bell & Howell	0104	Harman/Kardon	0081, 0038	Microsoft	1972
Broksonic	0184, 0121, 0209,	Harwood	0072	Mind	1972
	0002, 0479, 1479	Headquarter	0046	Minolta	0042, 0105
Calix	0037	Hewlett Packard	1972	Mitsubishi	0081, 0067, 0043,
Canon	0035	HI-Q	0047	Miloubioni	0041, 0061, 0173,
Capehart	0020	Hitachi	0037, 0240, 0000,		0807
Carver	0081	Titadiii	0042, 0041, 0105,	Motorola	0035, 0048
CCE	0072, 0278		1037	MTC	0240, 0000
Citizen	0037, 0278, 1278	Howard Computers	1972	Multitech	0000, 0072
Colt	0072	HP	1972	NEC	0035, 0037, 0048,
Craig	0037, 0047, 0240,	Hughes Network Systems	0042. 0739	INLO	0104, 0067, 0041,
Orally	0072, 0271	Humax	0739		0038, 0008
Curtis Mathes	0060, 0035, 0162,	Hush	1972	Nikko	0030, 0000
Curus Maures	0041, 0760, 1035	iBUYPOWER	1972	Niveus Media	1972
Cybernex	0240	Jensen	0041	Noblex	0240
CyberPower	1972	JVC	0045, 0067, 0041,	Northgate	1972
Daewoo		100			0035
Daewoo	0045, 0104, 0278,		0008, 0366, 1707,	Olympus	
	0020, 0046, 0561,		1945, 1774, 1775,	Optimus	1062, 0162, 0037,
5 /	1278	1/50	1776, 1777		0048, 0104, 0432,
Daytron	0020	KEC	0037, 0278		0593, 1048, 1162,
Dell	1972	Kenwood	0067, 0041, 0038		1262
Denon	0042	KLH	0072	Orion	0184, 0121, 0209,
DirecTV	0739	Kodak	0035, 0037		0002, 0208, 0479,
Durabrand	0039, 0038	LG	0037, 0045, 0042,		1479
Dynatech	0000		0209, 0038, 1037	Panasonic	1062, 0035, 0162,
Electrohome	0037	Linksys	1972		0225, 0227, 0616,
Electrophonic	0037	Lloyd's	0000, 0208		1035, 1162, 1262
Emerex	0032	Logik	0240, 0072	Penney	0035, 0037, 0240,
Emerson	0035, 0037, 0184,	LXI	0037		0042, 0038, 1035,
	0240, 0045, 0000,	Magnasonic	0593, 1278		1237
	0121, 0043, 0209,	Magnavox	0035, 0039, 0081,	Pentax	0042, 0105
	0002, 0278, 1593,		0000, 0149, 0563,	Philco	0035, 0000, 0038
	1479, 1278, 0593,		0593, 1593, 1781		
		A A complex	0240	I	
	0561, 0479, 0208,	Magnin	0240		

VCP mode					
VCR mode					
VCR		VCR		PVR	
Philips	0035, 0081, 0000,	Symphonic	0000, 0593, 1593	Howard Computers	1972
	0563, 0593, 0618,	Systemax	1972	HP	1972
	0739, 1081, 1181,	Tagar Systems	1972	Hughes Network Systems	0739
B.1. 4	1266	Tatung	0081, 0045, 0000,	Humax	0739
Pilot	0037		0067, 0041, 0008,	Hush	1972
Pioneer	0081, 0042, 0067	T	0366	iBUYPOWER	1972
Polk Audio	0081	Teac	0000, 0041	JVC	1945
Portland	0020	Technics	0035, 0162	Linksys Madia Cantan DC	1972
Presidian	1593	Teknika	0035, 0037, 0000	Media Center PC	1972
Profitronic Proscan	0240	Thomas Tivo	0000 0618, 0636, 0739,	Microsoft Mind	1972 1972
FIUSCAII	0060, 0202, 0760, 0761, 1060	IIVO	1996	Niveus Media	1972
Protec	0072	TMK	0240, 0208	Northgate	1972
Pulsar	0039	Toshiba	0081, 0045, 0042,	Panasonic	0616, 1777
Quarter	0046	TOSTIIDA	0067, 0043, 0041,	Philips	0618, 0739
Quartz	0046		0007, 0043, 0041,	RCA	0880
Quasar	0035, 0162, 1035,		0845, 1008, 1145,	ReplayTV	0614, 0616
Quasai	1162		1972, 1996	Samsung	0739
RadioShack	0000, 1037	Totevision	0037, 0240	Sonic Blue	0614, 0616
Radix	0000, 1037	Touch	1972	Sony	0636, 1972
Randex	0037	Unitech	0240	Stack 9	1972
RCA	0060, 0035, 0240,	Vector	0045	Systemax	1972
110/1	0000, 0000, 0240,	Vector Research	0038	Tagar Systems	1972
	0105, 0106, 0202,	Video Concepts	0045, 0061	Tivo	0618, 0636, 0739
	0760, 0761, 0807,	Video Concepts	0043, 0001	Toshiba	1008, 1972, 1996
	0880, 1035, 1060	Videosonic	0240	Touch	1972
Realistic	0035, 0037, 0048,	Viewsonic	1972	Viewsonic	1972
realistic	0047, 0000, 0104,	Villain	0000	Voodoo	1972
	0046	Voodoo	1972	ZT Group	1972
ReplayTV	0614, 0616	Wards	0060, 0035, 0048,	2. 0.000	
Ricavision	1972	Trai do	0047, 0081, 0240,	DVD/PVR Com	hination
Runco	0039		0000, 0042, 0072,	DVD/F VK COIII	Dillation
Samsung	0240, 0045, 0432,		0149, 0760	Emerson	0000
	0739, 0760, 1014	White Westinghouse	0209, 0072		
Sanky	0048, 0039	XR-1000	0035, 0000, 0072		
Sansui	0000, 0067, 0209,	Yamaha	0041, 0038		
	0041, 0271, 0479,	Zenith	0039, 0033, 0000,		
	1479		0209, 0034, 0479,		
Sanyo	0047, 0240, 0104,		1139, 1479		
·	0046	ZT Group	1972		
Scott	0184, 0045, 0121,				
	0043	DBS/PVR Com	bination		
Sears	0035, 0037, 0047,				
	0000, 0042, 0104,	Echostar	1945		
	0046, 0057, 0105,	Hughes Network Systems	0739		
	1237	JVC	1945		
Sharp	0048, 0209, 0807,	Philips	0739		
	0848, 1048	Samsung	0739		
Shintom	0104, 0072				
Shogun	0240	PVR			
Singer	0045, 0072			-	
Sonic Blue	0614, 0616	ABS	1972		
Sony	0035, 0032, 0033,	Alienware	1972		
	0000, 0034, 0636,	CyberPower	1972		
	0639, 0640, 1032,	Dell	1972		
		DirecTV	0739		
	1232, 1972				
Stack 9	1972	Dish Network System	1945		
STS	1972 0042		1945		
	1972 0042 0035, 0081, 0000,	Dish Network System Echostar Gateway	1945 1972		
STS	1972 0042	Dish Network System Echostar	1945		

Programming Codes

DVD DVD DVD Recorder Accurian 1416 Magnavox 0503, 0539, 0646, 0675, 0821, 1268 Accurian 1416 Advent 1016 0675, 0821, 1268 Apex Digital 1056 Aiwa 0641 Marantz 0539 Aspire Digital 1168 Akai 0695, 0770, 0899 Memorex 0695, 0831, 1270 CyberHome 1129 Alco 0790 Microsoft 0522, 1708 Denon 0490 Allegro 0869 Mintek 0839, 0717 Funai 0675, 1334 Apex Digital 0672, 0717, 0755, 0810 Mitsubishi 1521, 0521 Gateway 1158 Arrgo 1023 NEC 0741 Go Video 0741, 1158, 1304 Aspire Digital 1168 Nesa 0717 iLo 1348 Audiovox 0790 NexxTech 1402 JVC 1164 Blaupunkt 0717 Norcent 1003, 1107 LG 0741	DVD mode					
Advant		D	DVD		DVD Re	corder
Advant	Accurian	1416	Magnavox	0503, 0539, 0646,	Accurian	1416
Akair 0695, 0770, 0899 Memorax 0695, 0831, 1270 Cyberthorne 1129 Allegro 0699 Milmicendin 0522, 1708 Denon 0490 Allegro 0699 Milmice 0830, 1016, 1081 Milmice 0830, 1017 Funal 0675, 1334 Appire Digital 1168 N.D. 0741 Go Video 0741, 1158, 1304 Aspire Digital 1168 N.B. N.E.C 0765 L.D. 1348 Aspire Digital 1168 N.B. N.E.C 0765 L.D. 1348 Biaupunkt 0717 N.D. Norcenth 1003, 1107 L.G 0741 Bibu Parada 0571 O.D. Norcenth 1003, 1107 L.G 0741 Cinca 0681 O.P. O.D. 0783, 0890 1004 May anaxx 0646, 0675 Cinca 0687, 0833, 0889 Hillp 0690, 0703, 3924 Panasonic 0490 Panasonic 0490, 0703, 3924 Panasonic 0490 Panasonic 0490,						
Alegro	Aiwa	0641	Marantz	0539	Aspire Digital	1168
Allegro		0695, 0770, 0899	Memorex	0695, 0831, 1270		1129
Post Digital	Alco	0790	Microsoft	0522, 1708	Denon	0490
Apex Digital 0672, 0717, 0755, Missubish 1521, 0521 Sateway 1158 0830, 1056, 1061 NAD 0741 Go Video 0741, 1158, 1304 Argp 1023 NEC 0785 1730 1730 1730 1734 1730 1734 17	Allegro	0869	Mintek	0839, 0717	Funai	0675, 1334
Arright 1023		0672, 0717, 0755,	Mitsubishi	1521, 0521	Gateway	1158
Aspire Diplate		0830, 1056, 1061	NAD	0741	Go Video	0741, 1158, 1304,
Multiple	Arrgo	1023	NEC	0785		1730
Blaupnikt 0717	Aspire Digital	1168	Nesa	0717	iLo	1348
Blue Parade 0571	Audiovox	0790	NexxTech	1402	JVC	1164
Broksonic G695	Blaupunkt	0717	Norcent	1003, 1107	LG	0741
Cinea	Blue Parade	0571	Onkyo	0503, 0627	LiteOn	1158, 1416, 1440
Cline Vision 0876, 0833, 0899 H462, 1490, 1762 Phillips 0646, 1158 Citizen 1277 Policy 0778, 1107 0875, 0854, 1158, 0853, 0864, 1158, 0875, 0854, 1158, 0875, 0854, 1158, 1024, 1177, 1129 RCA 0522 Curlis Mathes 1087 Pioneer 0525, 0854, 1158, 0871, 0813 Samsung 0490, 1470 CyberHome 0816, 0874, 1023, 1177, 1129 Pioneer 0525, 08571, 0813 Samsung 0490, 1470 Daewoo 0784, 0705, 0770, 0833, 0869, 1169, 1172 Polik Judio 0539 Sony 1033, 1431 Denon 0490, 0834 Proscan 0675 2enith 0741 Denon 0490, 0834 Proscan 0522 Home Theater in Box Disney 0675, 1270 Pro Vision 0778 Aliva 0641 DVD2000 0521 RCA 0522, 0571, 0717, 1404 Aliva 0641 Enterprise 0591 Rlo 0869 KLH 0790 Esher 0670 Sampo 0752 Orltron 0651 Fluar	Broksonic	0695	Oritron	0651	Magnavox	0646, 0675
Citizen 1277 Philips 6503, 6539, 0646, 675, 0846, 158, RCA O522 (2) Craig 0831 1260, 1267, 1384 Samsung 0490, 1470 Craig 0816, 0874, 1023, 1024, 1117, 1129 Polaroid 1061 Sharp 0630, 0675 CyberHome 0816, 0874, 1023, 1177, 1129 Polaroid 0615 Sharp 0630, 0675 Deewo 0784, 0705, 0770, 1729, 1172 Portaind 0770 Sylvania 0675 Denon 0490, 0834 Proscan 0522 Home Theater in Box Discay 0675, 1270 Pro Vision 0778 Aiwa 0641 0641 0741 1771 1772 Aiwa 0641 0641 0641 0641 0641 0641 0641 0641 0641 0641 0641	Cinea	0831	Panasonic	0490, 0703, 1362,	Panasonic	0490
Coby	Cine Vision	0876, 0833, 0869		1462, 1490, 1762	Philips	0646, 1158
Carolig	Citizen		Philips	0503, 0539, 0646,	Pioneer	0631
Carolig	Coby	0778, 1107		0675, 0854, 1158,	RCA	0522
Curlis Mathes						0490, 1470
CyberHome			Pioneer			
1024, 1117, 1128						
Denoto	-,					
Denon	Daewoo					
1172	Buomoo				-	
Denon 0490, 0634 Proscan 0522 Home Theater in Box					201101	0741
Disney	Denon					· · · · · · · · · · · · · · · · · · ·
Durabrand 1127		,			Home Thea	ter in Box
DVD2000 DS21					Aiwa	0641
Emerson 0591, 0675, 0821, 1268						
1268			RCA			
Enterprise	Emerson				JVC	
ESA	Fatamaiaa		Dia		IZLLI	
Fisher						
Funai						
Gateway						
GE			Samsung			
Go Video						
O783, 0833, 0869, 1044, 1075, 1999, 1158, 11304, 1730 Sensory Science 1158 Sharp O630, 0675, 0752, 1256						
1044, 1075, 1099, 1158, 1304, 1730 Sansory Science 1158 Sharp 0630, 0675, 0752, 1256 125	Go Video					
Sharp						
GoldStar 0741 1256 Greenhill 0717 Sharper Image 1117 Harman/Kardon 0582,0702 Sherwood 0770 Hitachi 0573,0664,1247 Shinsonic 0533,0839 Hiteker 0672 Sonic Blue 0869,1099 Humax 1500,1588 Sony 0533,1533,0864, ILC 1348 1033,1431,1536 Initial 0717 Superscan 0821 Insignia 1268 Sylvania 0675,0821,1268 Integra 0627 Symphonic 0675,0821 JBL 0702 Teac 0717,0790 Jensen 1016 Technics 0490,0703 JVC 0558,0623,0867, 1164,1602,1770, 1771,1772,1773 Tivo 1503 Kawasaki 0790 1154,1503,1515, Kenwood 0490,0534 1588 KLH 0717,0790,1149 Urban Concepts 0503 Koss 0651 US Logic 0839 Lasonic 0798 Ventu					Venturer	0790
Greenhill 0717 Sharper Image 1117 Harman/Kardon 0582, 0702 Sherwood 0770 Hitachi 0573, 0664, 1247 Shinsonic 0533, 0839 Hiteker 0672 Sonic Blue 0869, 1099 Humax 1500, 1588 Sony 0533, 1533, 0864, iLo 1348 1033, 1431, 1536 Initial 0717 Superscan 0821 Insignia 1268 Sylvania 0675, 0821, 1268 Integra 0627 Symphonic 0675, 0821 JBL 0702 Teac 0717, 0790 Jensen 1016 Technics 0490, 0703 JVC 0558, 0623, 0867, 176 Theta Digital 0571 T164, 1602, 1770, 1773 Tivo 1503 Kawasaki 0790 154, 1503, 1515, 158 Kenwood 0490, 0534 1588 KLH 0717, 0790, 1149 Urban Concepts 0503 Koss 0661 US Logic 0839 Lasonic 0798 </td <td></td> <td></td> <td>Sharp</td> <td></td> <td></td> <td></td>			Sharp			
Harman/Kardon 0582, 0702 Sherwood 0770 Hitachi 0573, 0664, 1247 Shinsonic 0533, 0839 Hitaker 0672 Sonic Blue 0869, 1099 Humax 1500, 1588 Sony 0533, 1533, 0864, ILO 1348 1033, 1431, 1536 Initial 0717 Superscan 0821 Insignia 1268 Sylvania 0675, 0821, 1268 Integra 0627 Symphonic 0675, 0821, 1268 Integra 0627 Symphonic 0675, 0821, 1268 Integra 0627 Symphonic 0675, 0821, 1268 JBL 0702 Teac 0717, 0790 Jensen 1016 Technics 0490, 0703 JVC 0558, 0623, 0867, Theta Digital 0571 1164, 1602, 1770, 1700 1503 Tivo 1503 Kawasaki 0790 Toshiba 0503, 0695, 1045, Kenwood 0490, 0534 1588 KLH 0717, 0790, 1149 Urban Concepts 0503 Lasonic 0798 Venturer 0790 Lenoxx 1127 Xbox 0522, 1708 LiteOn 1058, 1158, 1416, Zenith 0503, 0591, 0741,						
Hitachi 0573, 0664, 1247 Shinsonic 0533, 0839 Hiteker 0672 Sonic Blue 0869, 1099 Humax 1500, 1588 Sony 0533, 1533, 0864, iLo 1348 1033, 1431, 1536 Initial 0717 Superscan 0821 Insignia 1268 Sylvania 0675, 0821, 1268 Integra 0627 Symphonic 0675, 0821 JBL 0702 Teac 0717, 0790 Jensen 1016 Technics 0490, 0703 JVC 0558, 0623, 0867,						
Hiteker						
Humax 1500, 1588 Sony 0533, 1533, 0864, 1033, 1431, 1536 il.0 1348 1033, 1431, 1536 Initial 0717 Superscan 0821 Insignia 1268 Sylvania 0675, 0821, 1268 Integra 0627 Symphonic 0675, 0821 JBL 0702 Teac 0717, 0790 Jensen 1016 Technics 0490, 0703 JVC 0558, 0623, 0867, 176 Theta Digital 0571 1164, 1602, 1770, 1771 Tivo 1503 Kawasaki 0790 1554, 1503, 1515, 158 Kenwood 0490, 0534 1588 KLH 0717, 0790, 1149 Urban Concepts 0503 Koss 0661 US Logic 0839 Lasonic 0798 Venturer 0790 Lenox 1127 Xbox 0522, 1708 Life On 1058, 1158, 1416, Zenith 0503, 0591, 0741, 0469 10490, 0539, 0545						
iLo 1348 1033, 1431, 1536 Initial 0717 Superscan 0821 Insignia 1268 Sylvania 0675, 0821, 1268 Integra 0627 Symphonic 0675, 0821 JBL 0702 Teac 0717, 0790 Jensen 1016 Technics 0490, 0703 JVC 0558, 0623, 0867, 1700, 1164, 1602, 1770, 1770 Tivo 1503 Kawasaki 0790 Toshiba 0503, 0695, 1045, 158 Kenwood 0490, 0534 1588 KLH 0717, 0790, 1149 Urban Concepts 0503 Koss 0651 US Logic 0839 Lasonic 0798 Venturer 0790 Lenoxx 1127 Xbox 0522, 1708 LieO 1058, 1158, 1416, Zenith 0503, 0591, 0741, 0469 0490, 0539, 0545						
Initial 0717 Superscan 0821 Insignia 1268 Sylvania 0675, 0821, 1268 Integra 0627 Symphonic 0675, 0821 JBL 0702 Teac 0717, 0790 Jensen 1016 Technics 0490, 0703 JVC 0558, 0623, 0867, 1700, 1164, 1602, 1770, 1164, 1772, 1773 Tivo 1503 Ary11, 1772, 1773 Toshiba 0503, 0695, 1045, 1045, 1515, 158 Kawasaki 0790 1154, 1503, 1515, 158 Kenwood 0490, 0534 1588 KLH 0717, 0790, 1149 Urban Concepts 0503 Koss 0651 US Logic 0839 Lasonic 0798 Venturer 0790 Lenoxx 1127 Xbox 0522, 1708 Lig 0591,0741, 0869 Yamaha 0490,0639, 0545 LiteOn 1058, 1158, 1416, Zenith 0503,0591,0741,			Sony			
Insignia						
Integra						
JBL 0702 Teac 0717, 0790 Jensen 1016 Technics 0490, 0703 JVC 0558, 0623, 0867, 1164, 1602, 1770, 1164, 1503 Theta Digital 0571 1164, 1602, 1770, 1771, 1772, 1773 Tivo 1503 Kawasaki 0790 1154, 1503, 1515, 154, 1503, 1515, 154, 1503 Kenwood 0490, 0534 Us Logic 0503 Koss 0651 US Logic 0839 Lasonic 0798 Venturer 0790 Lenoxx 1127 Xbox 0522, 1708 LG 0591, 0741, 0869 Yamaha 0490, 0539, 0545 LiteOn 1058, 1158, 1416, Zenith 0503, 0591, 0741,			,]	
Jensen					1	
JVC 0558, 0623, 0867, 1164, 1602, 1770, 1164, 1602, 1770, 1771, 1772, 1773 Theta Digital Digi						
Tivo 1503 Toshiba 0503, 0695, 1045,]	
Kawasaki 0790 1154, 1503, 1515, 1544, 1503, 1515, 154, 1503 Kenwood 0490, 0534 1588 KLH 0717, 0790, 1149 Urban Concepts 0503 Koss 0651 US Logic 0839 Lasonic 0798 Venturer 0790 Lenoxx 1127 Xbox 0522, 1708 LG 0591,0741,0869 Yamaha 0490, 0539, 0545 LiteOn 1058, 1158, 1416, Zenith 0503, 0591, 0741,	JVC		Theta Digital]	
Kawasaki 0790 1154, 1503, 1515, Kenwood 0490, 0534 1588 KLH 0717, 0790, 1149 Urban Concepts 0503 Koss 0661 US Logic 0839 Lasonic 0798 Venturer 0790 Lenoxx 1127 Xbox 0522, 1708 LG 0591, 0741, 0869 Yamaha 0490, 0539, 0545 LiteOn 1058, 1158, 1416, Zenith 0503, 0591, 0741,						
Kenwood 0490, 0534 1588 KLH 0717, 0790, 1149 Urban Concepts 0503 Koss 0651 US Logic 0839 Lasonic 0798 Venturer 0790 Lenoxx 1127 Xbox 0522, 1708 LG 0591, 0741, 0869 Yamaha 0490, 0539, 0545 LiteOn 1058, 1158, 1416, Zenith 0503, 0591, 0741,			Toshiba			
KLH 0717, 0790, 1149 Urban Concepts 0503 Koss 0651 US Logic 0839 Lasonic 0798 Venturer 0790 Lenoxx 1127 Xbox 0522, 1708 LG 0591, 0741, 0869 Yamaha 0490, 0539, 0545 LiteOn 1058, 1158, 1416, Zenith 0503, 0591, 0741,	Kawasaki			1154, 1503, 1515,		
Koss 0651 US Logic 0839 Lasonic 0798 Venturer 0790 Lenoxx 1127 Xbox 0522,1708 LG 0591,0741,0869 Yamaha 0490,0539,0545 LiteOn 1058,1158,1416, Zenith 0503,0591,0741,	Kenwood					
Lasonic 0798 Venturer 0790 Lenoxx 1127 Xbox 0522, 1708 LG 0591, 0741, 0869 Yamaha 0490, 0539, 0545 LiteOn 1058, 1158, 1416, Zenith 0503, 0591, 0741,	KLH	0717, 0790, 1149	Urban Concepts			
Lenoxx 1127 Xbox 0522,1708 LG 0591,0741,0869 Yamaha 0490,0539,0545 LiteOn 1058,1158,1416, Zenith 0503,0591,0741,	Koss	0651	US Logic	0839		
LG 0591, 0741, 0869 Yamaha 0490, 0539, 0545 LiteOn 1058, 1158, 1416, Zenith 0503, 0591, 0741,	Lasonic	0798	Venturer	0790		
LiteOn 1058, 1158, 1416, Zenith 0503, 0591, 0741,	Lenoxx	1127	Xbox	0522, 1708	1	
	LG	0591, 0741, 0869	Yamaha	0490, 0539, 0545	1	
	LiteOn	1058, 1158, 1416,	Zenith	0503, 0591, 0741,	1	
	1	1440		0869		


Amplifier		Receiver		Home Theater in Box	
Amstrad	0078	Koss	1366, 1497	Aiwa	1388, 1641
Bose	0674	Lasonic	1798	Amphion Media Works	1563, 1615
Curtis Mathes	0300	Lenoxx	1437	AMW	1563, 1615
Durabrand	1561	LG	1293, 1869	Anam	1609
GE	0078	Liquid Video	1497	Apex Digital	1257, 1430
Harman/Kardon	0892	Magnavox	1189, 1269, 0531,	Audiovox	1390
JVC	0331		1514	Bose	1229, 1933
Left Coast	0892	Marantz	1189, 1269, 0891,	Cambridge Soundworks	1370
Lenoxx	1561		1289	Classic	1352
Linn	0269, 0282, 0829	Mitsubishi	1393	Coby	1389
Marantz	0892, 0269	NexxTech	1751	Criterion	1420
NEC	0264	Norcent	1389, 1751	Daewoo	1250
Optimus	0300, 0823	Nova	1389	Denon	2832
Philips	0892, 0269	Onkyo	0135, 0842, 1298,	Durabrand	1561
Pioneer	0013, 0300, 0823		1320, 1531	Gateway	1517
Polk Audio	0892, 0269	Optimus	1023, 0531, 1074	Go Video	1532
RCA	0300, 0823	Oritron	1366, 1497	Initial	1426
Shure	0264	Panasonic	1308, 1518, 0367,	Insignia	1751
Sony	0689, 0815, 1126		1288, 1316, 1548,	Integra	1298
Soundesign	0078		1633, 1763, 1764	JBL	1306
Victor	0331	Philips	1189, 1269, 0891,	JVC	1374, 1495, 16
Wards	0078, 0013		1266, 1289, 1673		1871
Yamaha	0354, 0133	Pioneer	1023, 0014, 0150,	KLH	1390, 1412
			0531, 0630, 1123,	Koss	1366, 1497
Receive	er		1384, 1823	Lasonic	1798
		Polaroid	1508	Lenoxx	1561
ADC	0531	Polk Audio	1289, 1414	LG	1293, 1869
Aiwa	1405, 0121, 1243,	Proscan	1254	Liquid Video	1497
	1388, 1641	RCA	1023, 1609, 1254,	Magnavox	1514
Akai	1512		0531, 1074, 1123,	NexxTech	1751
Alco	1390		1390, 1511	Norcent	1389, 1751
Amphion Media Works	1563, 1615	Regent	1437	Nova	1389
AMW	1563, 1615	Rio	1869	Onkyo	1298, 1531
Anam	1609, 1074	Saba	0531, 1519	Oritron	1366, 1497
Apex Digital	1257, 1430	Samsung	1295, 1500	Panasonic	1288, 1316, 154
Audiotronic	1189	Sansui	1764		1633, 1763, 176
Audiovox	1390	Sanyo	1251, 1469	Philips	1266, 1673
Bose	1229, 0639, 1841,	Sharp	0771, 1286	Pioneer	1384
	1933	Sharper Image	1556	Polaroid	1508
Brix	1602	Sherwood	1517, 1653	Polk Audio	1289
Cambridge Soundworks	1370	Shinsonic	1426	RCA	1609, 1390, 15
Capetronic	0531	Sirius	1602	Regent	1437
Carver	1189	Sonic Blue	1532, 1869	Rio	1869
Classic	1352	Sony	1058, 1441, 1258,	Saba	1519
Coby	1389	,	1759, 1622, 0474,	Samsung	1295, 1500
Criterion	1420		1406, 1558, 1658,	Sanyo	1469
Daewoo	1250		1758, 1858, 1958	Sharper Image	1556
Delphi	1414	Stereophonics	1023	Sherwood	1517
Denon	1360, 0771, 1142,	Sunfire	1313	Shinsonic	1426
20011	1660, 2832	Teac	0463, 1074, 1390,	Sonic Blue	1532, 1869
Garrard	0463	1000	1528	Sony	0689, 1622, 15
Gateway	1517	Technics	1308, 1518, 1384	Cony	1658, 1758, 18
Go Video	1532	Thorens	1189		1958
Harman/Kardon	0110, 0891, 1304,	Toshiba	1788	Teac	1390, 1528
i iaiiilali/NaidUll	1306	Venturer	1788	Toshiba	1788
Initial	1426	Wards	0014	Venturer	1390
		Vvards			
Insignia	1751 0135, 1298, 1320		1406, 1414 0176, 1176, 1276,	Yamaha Zenith	1331, 1375 1293
Integra		Yamaha		Zettiüt	1293
JBL	0110, 1306	7	1331, 1375, 1476		
JVC	0531, 1374, 1495,	Zenith	0857, 1293		
	1560, 1676, 1871,				
	1894				
Kenwood	1313, 1570, 1569				
KLH	1390, 1412				

Connecting Your Devices

Notes:

- The following connection diagrams are examples on connecting some of the most common devices to your TV. Please refer to your device's instruction manual on other connection methods or for devices not shown here in this instruction book.
- · When you are finished connecting your devices, turn on your TV and devices.

Connect an Antenna or Basic Cable



Notes:

- If you are able to receive ATSC (Digital terrestrial) signal, High Definition (HD) broadcasting can be watched.
- All digital broadcasting is not necessary High Definition. Check by pressing the DISPLAY button.
- · Digital broadcasting is not available in all areas.


Connect a Cable Box



Note:

 To view channels on your cable box, make sure your TV's channel is set to 2, 3 or 4 (depending on the area you live in).


Connect a VCR / DVD Player using Component Video



Notes:

- Green, blue and red are the most common colors for Component Cables. Some models may vary in color.
- To watch your VCR / DVD player, make sure your TV is displaying INPUT 4 or INPUT 5 by pressing the V4 or V5 button on your remote control.


Connect a VCR / DVD Player using Composite Video



- Yellow, white and red are the most common colors for Composite Cables. Some models may vary in color.
- To watch your VCR / DVD player, make sure your TV is displaying INPUT 4 or INPUT 5 by pressing the V4 or V5 button on your remote control.
- If your device has S-Video Output, you can use that instead of using Composite Cables.
 Connect INPUT 4 (S-VIDEO) and S-video Output with an S-Video Cable.

Connecting Your Devices


Connect an Amplifier or Home Theater System



Notes:


- Refer to your amplifier's or Home Theater System's manual for more information.
- If you have a device connected to INPUT 1, INPUT 2 or INPUT 3, you will not be able to hear
 any audio from the AUDIO OUT on the back of the TV otherwise.

Connect an Amplifier using the DIGITAL AUDIO OPTICAL OUT



- · Refer to your amplifier's manual for more information.
- This terminal can only output digital audio (PCM or DOLBY DIGITAL).
- In order to use the optical output connection, select PCM or DOLBY DIGITAL. See page 43.
- You can not output sound from your DIGITAL AUDIO OPTICAL OUT connection if the audio source is from your HDMI device.

Connect a Digital Source Device




After the connections have been made, tighten the screw to secure the cables.

Notes:

- To watch your digital source device, make sure your TV is displaying INPUT 1 by pressing the V1 button on your remote control.
- This TV can accept 480i, 480p, 720p, 1080i and 1080p signals via HDMI.
- The INPUT 1 HDMI ANALOG AUDIO input can only be used with INPUT 1.

Connect a Camcorder




- To watch video from your camcorder, make sure your TV is displaying INPUT 4 or INPUT 5 by pressing the V4 or V5 button on your remote control.
- If your device has S-Video Output, you can use that instead of using Composite Cables.
 Connect INPUT 4 (S-VIDEO) and S-video Output with an S-Video Cable.

Connecting Your Devices


Connect a Blu-ray or HDMI Device

TV Rear Panel (INPUT 2)



- To watch your Blu-ray or HDMI device, make sure your TV is displaying INPUT 1, INPUT 2 or INPUT 3 by pressing the V1, V2 or V3 button on your remote control.
- · Some decoders may not respond depending on the equipment that is connected to the HDMI.
- This TV can accept 480i, 480p, 720p, 1080i and 1080p signals via HDMI.
- This JVC television can accept a variety of HD signals, including 720p, 1080i, 1080p/24Hz, 1080p/30Hz and 1080p/60Hz. Please note that in some cases, a Blu-ray may only offer the choice of 1080/60i or 1080/24p. In this case, it is necessary to choose the 1080/60i output. Please refer to your Blu-ray manual for complete details on choosing the correct output.
- Some HDMI Output Devices may fail to detect this TV as a 1080p device. If this occurs, manually select 1080p on the HDMI Output Device.

Connect a Computer



Notes:

- Make sure your TV is displaying INPUT 1, INPUT 2, INPUT 3 or INPUT 5 by pressing the V1, V2, V3 or V5 button on your remote control.
- To use **PC Smart Input** function, see page 43.
- When you connect a PC using HDMI-DVI cable, connect an audio cable to INPUT 1 HDMI ANALOG AUDIO on the TV.
- Use a D-SUB cable with ferrite cores and no longer than 3 meters to avoid electromagnetic disturbances.
- · Refer to your computer's manual for more information.

Format	Resolution	V. Frequency (Hz)	H. Frequency (kHz)
VGA	640 x 480	60	31.5
SVGA	800 x 600	60	37.9
XGA	1024 x 768	60	48.4
D-SUB			

Format	Resolution	V. Frequency (Hz)	H. Frequency (kHz)
VGA	640 x 480	60	31.5
SVGA	800 x 600	60	37.9
XGA	1024 x 768	60	48.4
FHD	1920 x 1080	60	67.4

HDMI

- Depending on signal quality, some pictures may not be displayed correctly.
- Computers that cannot set the refresh rate to 60 Hz, cannot be used with this TV.
- If you are inputting a PC signal that is invalid, "No signal or Signal can not be displayed" will appear on the TV screen. It appears when the input is PC and it is a single screen.
- · When you connect a PC using an HDMI cable, the TV image may not be displayed correctly.

Troubleshooting

Refer to the table below to check the condition. If you think that there is a problem, contact the JVC Service Center where you purchased the television.

There is no power

- · See if the power cord became unplugged.
- · Check for a blown fuse or circuit breaker or a power outage.

There is no picture or sound

- · The antenna could be disconnected.
- The tuner could be set improperly. See page 58.
- The TV station may be having difficulties. Check to see if other stations are working.
- Use the HDMI cable with HDMI logo.
- If you have a device connected to INPUT-1, INPUT-2 or INPUT-3, you will not be able to hear any audio from the AUDIO OUT on the back of the TV.
- You cannot output audio using the DIGITAL AUDIO OPTICAL OUT when you have digital sound from an HDMI device connected to the INPUT-1, INPUT-2 or INPUT-3 connection on the back of the TV.
- This TV can accept 480i (Composite / S / HDMI / Component), 480p, 720p, 1080i and 1080p signals. Please check your settings.

Remote control is not operating properly or at all

- · Check to see that the batteries are still working and properly installed.
- · Make sure the remote has a clear sight path to the TV.
- You may be too far from the TV. You must be within 23 feet (7 meters).

The power turns off by itself

- Make sure the set did not become unplugged.
- · Perhaps the Auto Shut Off is set. See page 41.
- Check to see if the Sleep Timer was set. See page 18.

It does not operate correctly

 This television is operated by a microprocessor. It is possible that external noise or interference is causing the problem. If the television does not function correctly, remove the electrical plug from the wall outlet and wait a while before inserting it into the wall outlet again and operating the television.

The color quality is poor

- Tint and Color may be improperly adjusted. See page 26.
- The Video Status mode may be turned to the wrong setting. See page 26.

There are lines across the picture

• There could be interference from another electrical appliance, such as a computer, another TV or VCR. Move any such appliances further away from the TV.

The picture is spotted

 There could be interference from a high-wattage appliance, like a hairdryer or vacuum, operating nearby. Move the antenna away from the appliance or change to a coaxial cable connection which is less prone to interference.

There are double pictures (ghosts)

 A building or passing airplane can reflect the original signal and produce a second, slightly delayed one. Adjust your antenna position.

Picture is snowy (image noise)

 Your antenna may be damaged, disconnected or turned. Check the antenna connection. If the antenna is damaged, replace it.

Screen is 80% black

• The Closed Caption Text mode is on. Turn it off in the Closed Caption menu, page 31.

Stereo or bilingual programs can't be heard

Make sure the MTS settings are correct. See page 39.

Static electricity

• It is normal to feel static electricity if you brush or touch the screen.

You hear occasional crackling sounds

• It is normal for the TV to make crackling sounds when first turned on or off. Unless the sound or picture become abnormal, this is fine.

The picture is slightly cut off when you use 1080p format only

• Change the picture format setting on your external device to 1080i or other resolution.

The screen disappears except for the menu screen

 This occurs when you select a digital menu when your input source is from the HDMI connection. Press the MENU button.

My HDMI device doesn't work or doesn't work properly

 Please usa a High Speed HDMI™ Cable. High Speed HDMI™ Cable are tested to carry an HD signal up to 1080p and higher.

No signal or signal can not be displayed

- This OSD appears when the digital channel that you have selected is too weak to receive or no signal is being detected for that channel.
- It appears when that channel is not receiving a signal and you have the **Noise Mute** function **Off** and you have a single screen. It moves automatically every two seconds to prevent the screen from burn-in.
- Even if "No signal or signal can not be displayed" appears on the screen, your timer functions and auto shut off functions that you set, are still active.

The following are not malfunctions.

- The television may make a creaking sound if the temperature of the room or the temperature
 of the inside of the television changes. If there is no problem with the screen or sound, then
 there is no need to worry.
- The picture may be temporarily disturbed and noise may be seen on the screen if the power is turned on immediately after it has been turned off. This is not a malfunction.

Specifications

Model	LT-32P300	LT-42P300 LT-42PM30		
Туре	LCD Flat	LCD Flat Television		
Reception Format	NTSC, BTSC System (Multi-Channel Sound) ATSC Terrestrial, Digital Cable			
Reception Range	VHF 2 to 13, UHF 14 to 69 at ATSC, CATV 135 Sub, Mid, Super, Hyper and Ultra bands at Digital Cable			
	VHF 2 to 13, UHF 14 to 69 CATV 135 Sub, Mid, Super, Hyper and Ultra bands (191 channel frequency synthesizer system) at Analog • Reception of channel A-5 ("95" of the TV set's on-screen cable channel numbers) is not recommended for your TV set.			
Power Source	AC 120	AC 120V, 60 Hz		
Power Consumption	155W	155W 215W		
Screen Size	32 inch / 80.03 cm measured diagonally, 16:9 ratio	42 inch / 106.73 cm measured diagonally, 16:9 ratio		
Audio Output	10W + 10W			
Speakers	4 x 16cm Oblique x 2			
iPod Output Power	5 V, 500 mA			
Antenna Terminal (VHF/UHF, ATSC/DIGITAL CABLE IN)	75 ohms (VHF/UHF)(F-type connector)			
Input 4, 5 Terminal	480i S (Input 4) Y: 1 Vp-p positive, 75 ohms (negative sync provided) C: 0.286 Vp-p (burst signal), 75 ohms Video: 1 Vp-p, 75 ohms Audio: 500 mVrms (-4dBs) high impedance			
Input 4, 5 Terminal (Component Terminal)	1080i / 720p / 480p / 480i Y: 1 Vp-p positive, 75 ohms (negative sync provided) Pe/Pr: 0.7 Vp-p 75 ohms			
Input 1, 2, 3 Terminal (HDMI Input Terminal)	Video: 1080p / 1080i / 720p / 480p / 480i Audio: 2ch PCM, 32 / 44.1 / 48 KHz 16 / 20 / 24 bit			
PC Input Jacks	Analog RGB D-SUB (15 pin) x 1			
Audio Output Jacks (FIX)	FIX : 500mVrms (-4dBs), Low Impedance			
Optical Output Digital Audio	Digital Out (optical) x 1			
Dimensions (inch/mm) W X H X D	31 1/4 x 23 1/2 x 9 1/8 (with stand) 792 x 595.7 x 230 (with stand)	39 7/8 x 28 7/8 x 11 5/8 (with stand) 1013.6 x 733.5 x 296 (with stand)		
	31 1/4 x 21 1/2 x 4 3/8 (without stand) 792 x 544.6 x 109.6 (without stand)	39 7/8 x 26 5/8 x 4 1/2 (without stand) 1013.6 x 677.3 x 114.8 (without stand)		
Weight (lbs / kg)	29.0 / 13.2 (with stand)	49.5 / 22.5 (with stand)		
	27.1 / 12.3 (without stand)	46.0 / 20.9 (without stand)		

Specifications subject to change without notice.



LIMITED WARRANTY

ONLY FOR PRODUCT PURCHASED IN U.S.A.

1-1 USA ONLY

JVC Americas Corp. (JVC) warrants this product and all parts thereof, except as set forth below ONLY TO THE ORIGINAL RETAIL PURCHASER to be FREE FROM DEFECTIVE MATERIALS AND WORKMANSHIP from the date of original purchase for the period shown below. ("The Warranty Period")

PARTS		LABOR	
	1 YR		1 YR

THIS LIMITED WARRANTY IS VALID ONLY IN THE FIFTY (50) UNITED STATES, THE DISTRICT OF COLUMBIA AND IN THE COMMONWEALTH OF PUERTO RICO.

If this product is found to be defective within the warranty period, JVC will repair or replace defective parts with new or rebuilt equivalents at no charge to the original owner. Such repair and replacement services shall be rendered by JVC during normal business hours at JVC authorized service centers. Parts used for replacement are warranted only for the remainder of the Warranty Period. All products may be brought to a JVC authorized service center on a carry-in basis. Color televisions with a screen size of 37"class or greater qualify for in-home service. In such cases, a technician will come to your home and either repair the TV there or remove and return it if it cannot be repaired in your home.

WHAT YOU MUST DO FOR WARRANTY SERVICE:

Please do not return your product to the retailer

Instead, return your product to the JVC authorized service center nearest you. If shipping the product to the service center, please be sure to package it carefully, preferably in the original packaging, and include a brief description of the problem(s). Please call 1-800-252-5722 to locate the nearest JVC authorized service center. Service locations can also be obtained from our website http://www.jvc.com, If your product qualifies for in-home service, the service representative will require clear access to the product.

If you have any questions concerning your JVC Product, please contact our Customer Care Center at 800-252-5722

WHAT IS NOT COVERED:

This limited warranty provided by JVC does not cover:

- is limited warranty provided by JVC does not cover:

 1. Products which have been subject to abuse, accident, alteration, modification, tampering, negligence, misuse, faulty installation, lack of reasonable care, or if repaired or serviced by anyone other than a service facility authorized by JVC to render such service, or if affixed to any attachment not provided with the products, or if the model or serial. number has been altered, tampered with, defaced or removed;
- Initial installation, installation and removal from cabinets or mounting systems.
- 3. Operational adjustments covered in the Owner's Manual, normal maintenance, video and audio head cleaning;
- Damage that occurs in shipment, due to act of God, and cosmetic damage;

- 10. Loss of data resultant from malfunction of hard drive or other data storage device;

There are no express warranties except as listed above.

4. Damage that occurs in shipment, due to act of God, and cosmetic damage;
5. Signal reception problems and failures due to line power surge;
6. User Removal Memory Devices/Video Pick-up Tubes/CCD Image Sensors are covered for 90 days from the date of purchase;
7. Accessories;
8. Batteries (except that Rechargeable Batteries are covered for 90 days from the date of purchase);
9. Products used for commercial purposes, including, but not limited to rental.
10. Loss of data resultant from malfunction of hard drive or other data storage device;
here are no express warranties except as listed above.

HE DURATION OF ANY IMPLIED WARRANTIES, INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY, IS
IMITED TO THE DURATION OF THE EXPRESS WARRANTY HEREIN. THE DURATION OF ANY IMPLIED WARRANTIES. INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY. IS LIMITED TO THE DURATION OF THE EXPRESS WARRANTY HEREIN.

JVC SHALL NOT BE LIABLE FOR ANY LOSS OF USE OF THE PRODUCT, INCONVENIENCE, OR ANY OTHER DAMAGES, WHETHER DIRECT, INCIDENTAL OR CONSEQUENTIAL (INCLUDING, WITHOUT LIMITATION, DAMAGE TO TAPES, RECORDS OR DISCS) RESULTING FROM THE USE OF THIS PRODUCT, OR ARISING OUT OF ANY BREACH OF THIS WARRANTY. ALL EXPRESS AND IMPLIED WARRANTIES, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE, ARE LIMITED TO THE WARRANTY PERIOD SET FORTH ABOVE.

Some states do not allow the exclusion of incidental or consequential damages or limitations on how long an implied warranty lasts, so these limitations or exclusions may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

JVC AMERICAS CORP.

1700 Valley Road, Wayne, New Jersey 07470 http://www.jvc.com

REFURBISHED PRODUCTS CARRY A SEPARATE WARRANTY, THIS WARRANTY DOES NOT APPLY. FOR DETAIL OF REFURBISHED PRODUCT WARRANTY, PLEASE REFER TO THE REFURBISHED PRODUCT WARRANTY INFORMATION PACKAGED WITH EACH REFURBISHED PRODUCT.

For customer use:			
Enter below the Model No. and Serial No. which is located either on the rear, bottom or side of the cabinet. Retain this information for future reference.			
Model No. :	Serial No. :		
Purchase date :	Name of dealer :		

TO OUR VALUED CUSTOMER

THANK YOU FOR PURCHASING THIS JVC PRODUCT.
WE WANT TO HELP YOU ACHIEVE A PERFECT EXPERIENCE.

NEED HELP ON HOW TO HOOK UP?
NEED ASSISTANCE ON HOW TO OPERATE?
NEED TO LOCATE A JVC SERVICE CENTER?
LIKE TO PURCHASE ACCESSORIES?

JVC IS HERE TO HELP!

U.S.A.

TOLL FREE: 1 (800) 252-5722

http://www.jvc.com

Canada

TOLL FREE: 1 (800) 964-2650

http://www.jvc.ca

Remember to retain your Bill of Sales for Warranty Service.

Digital Television Transition Notice:

This device contains a digital television tuner, so it should receive digital over the air TV programming, with a suitable antenna, after the end of full-power analog TV broadcasting in the United States on February 17, 2009.

Some older television receivers, if they rely on a TV antenna, will need a TV Converter to receive over the air digital programming, but should continue to work as before for other purposes (e.g., for watching low-power TV stations still broadcasting in analog, watching pre-recorded movies, or playing video games).

For more information, see http://www.DTV.gov or call 1-888-CALL-FCC. For converter box information, see http://www.dtv2009.gov or call the NTIA at 1–888–DTV–2009.

JVC COMPANY OF AMERICA

Division of JVC Americas Corp. 1700 Valley Road Wayne, New Jersey, 07470



JVC CANADA, INC.

21 Finchdene Square Scarborough, Ontario Canada, M1X 1A7