

Everio Lineup 2010

🗻 Brighten Up Your Life

Everio







Life may have its ups and downs, but with Everio, you can count on brilliant results that will put a smile on your face. Be amazed at how every precious moment is captured with high picture quality, even in less-than-ideal shooting locations. Now have fun shooting creative videos like never before. And have more fun sharing it all. Let Everio brighten up your life, with the great real-life performance you deserve.

Everio Everia JVC HD HD Everio Bluetooth

Brighten Up Every Moment with Brilliantly Improved Performance

Super LoLux

Low light performance is one of the key factors for quality video. New Everio's Super LoLux ensures superior sensitivity to low light. To provide this, High Definition models (selected) are equipped with a Back-illuminated CMOS sensor that allows intake of more light while Standard Definition

models offer a large 1/6" high-sensitivity CCD. The result is clear images with precise colors even in low light. No worry while indoors or in dark situations.







Advanced Image Stabilizer*

Another great improvement on New Everio is its anti-shake performance. A new technology called Advanced Image Stabilizer expands the effective area at wide angle to 4 times that of 2009 models, delivering powerful compensation for camera shake. You can enjoy stable results even if you're trotting alongside your subject.







Effortless Creativity and Smart Usability


Time-Lapse REC

Various unique shooting functions are equipped on New Everio. Time-Lapse REC records one frame at a time at set intervals (1sec.–80sec.). So you can watch an hour-long movement in just a short amount of time when played back. It's great when you want to observe an event that takes place over a long period of time, or to record unique-looking scenes in a creative way.



Auto REC

Another unique function is Auto REC. When a subject enters the detecting area and the luminance changes, recording starts automatically. Recording continues as long as there is movement within the area and automatically stops after 5 seconds of no movement. You can use it like a surveillance camera, or to observe something. Discover new ways to use the camera.





Face Detection and Face Flow Thumbnail

Face Detection equipped on HD Everio has been upgraded. When shooting, it intelligently detects up to 16 faces then accurately adjusts the focus and exposure. It works for both video and digital stills. And while browsing through scenes in the Play mode, thumbnails can be displayed with close-ups of detected faces so you can easily identify who's in the file.





When shooting: Detects up to 16 faces

ng: Detected faces are automatically zoomed-in

Laser Touch Operation

Touch-sensitive scroll bar and buttons for smooth operation (except for GZ-MS110). Allows zooming and recording using either the Laser Touch or standard zoom lever and REC button. Browsing through indexes and menu selection is easier than ever. Since you don't touch the LCD screen itself, you can keep the screen clean and fingerprint-free.



45x Dynamic Zoom

Standard Definition Everio features the Dynamic Zoom function which uses nearly all of the effective pixels of the CCD to achieve incredible magnification. You can enjoy up to 45x zoom without any degradation of picture quality. Its high-quality lens is a KONICA MINOLTA LENS developed for Everio by the camera specialists.



2-Way Grip Belt

New detachable strap is designed to work as a grip belt when shooting and as a hand strap when carrying. Fashionable and comfortable.



High-Quality High-Definition Video – HD Everio

To deliver exceptional picture quality, HD Everio incorporates an array of advanced technologies.

• Full HD 1920x1080 Video

All the image information you are capable of seeing on an HDTV will be recorded on HD Everio. You can enjoy a stunning 1080 TV lines of horizontal resolution – the theoretical maximum level of 1920x1080 Full HD.





• 1920x1080/60P Output

This function outputs a 1080 scanning line image at progressive 60fps so you can enjoy uncompromising picture quality on a TV that accepts 1080P input.



• 24Mbps Ultra High Quality Recording

In UXP video recording mode, you can record at 24Mbps, the highest bit rate possible for AVCHD video, for more detailed, sharper images with less noise.

Comprehensive Lineup: Wide Selection of Storage Media

The Everio lineup offers a variety of recording media to match your requirements.

Built-in Hard Disk Drive

Hard Disk-type Everio models have a built-in high-capacity HDD. It offers extremely long recording time in any mode. There's also a microSD/SDHC card slot for additional storage.



32GB

MEMORY

Internal Flash Memory


Memory-type Everio models feature internal flash memory. Up to 32GB memory built-in, plus additionally equipped SD/SDHC card slot, assure sufficient capacity for recording.

• Dual SD/SDHC Card Slots

Another type of Memory Everio offers dual slots for SD/SDHC card storage. You can insert up to two 32GB cards.

Seamless Recording over Two Media

Selected models of Memory Everio offer continuous recording between two media. When one recording media fills up during recording, it automatically switches to the second media and resumes recording. There's no drop-out between recordings.



For details on type of storage media for each model, refer to "Feature Comparison Chart".

😵 Bluetooth°

Expands Camcorder Possibilities GZ-HM550 only

GZ-HM550 features built-in Bluetooth[®] Wireless Technology. In combination with optional devices, you can enjoy a variety of wireless applications.



Control and watch from a distance

With a compatible smartphone, you can control the camera's basic operations such as record, zoom, or playback, remotely.



Smartphone Installation of application required



Record location data with GPS

With a GPS unit, you can record location data on movie files. Those files synchronize with Google Earth™ when playing back with Everio MediaBrowser on a PC.



Capture sound from a headset

With a compatible headset, you can monitor sound while shooting or record your own voice.

Headset

Note: Works at a distance of up to 11 yards/10m (approx.). Depending on radio wave activity or physical obstructions in your sumoundings, or characteristics of the product you are using, communication may terminate abnuptly, headset audio quality may degrade, or communication distance may become reduced to under 11 yards/10 meters. For more details and compatible divides, please consult your local V/C dealer and J/C website.

Easy Sharing and Archiving Solutions

Everio MediaBrowser - Integrated PC Software Included

All Everio models come with high-value software that provides everything from file playback, management, as well as easy sharing functions, within a single application. Its calendar type graphical user interface displays thumbnail images of your recordings, superimposed on the date they were taken.



Just double-click on the scene you want to view, and playback starts. Full-screen viewing and simple cut editing are also possible.

Easy playback and simple editing

Full-screen playback

Software System Requirements (Windows®)

- OS: Microsoft* Windows* XP 3P31 kme Editor/Professional (pre-installed), Microsoft* Windows Vista* SP2 Home Basic-Home Premium (S2: 2b/86-bit, pre-installed), Microsoft* Windows* 7 Home Premium (S2: bit/64-bit, pre-installed) Vei: IPD Elition(Inite*) Cov** Duce: at least 1669bit, Inite* Cov** 2 Duce: at least 21:30bit recommended
- [SD Edition] Intel[®] Pentium[®] 4: at least 1.66Hz, at least 2.46Hz recommended
 [SD Edition] Windows[®] XP: at least 1.66Hz, at least 2.46Hz recommended
 [RAM: [HD Edition] Windows[®] XP: at least 1.68, Windows Vista[®]/Windows[®] 7: at least 2.68
- [SD Edition] Windows¹ XP: at least 512MB, Windows Vista^{*}(Windows¹ 7: at least 1GB Others: Standard US82.0 port, Installation of Tiures¹ is required for exporting to Tiures¹, An Internet-accessible environment for uplacing wides to Variative¹.

Note: Software for Macintosh is not included. The applicable software is required. The system requirements information above is not a guarantee that the provided software will work on all personal computers meeting those requirements.

One-touch sharing button on the camera

Some models are equipped with "UPLOAD/EXPORT" button on the main unit. When connected with a PC, press this button to start data conversion and upload the file to YouTube™ or export the file to your iTunes[®] library*.



^{*}Installation of bundled software required. Export is not available with some models

Easy Multi-Format Playback on TV

Optional

CU-VS100 HD Media Player is a video player with dual SD card slot. Connect to any TV via HDMI® or AV cable, then just insert the recorded SD card to enjoy playback right away. No need to connect Everio to your TV each time you want to watch. And since it supports still images and music data too, count on it to entertain you.



 MPEG-2 TS
 .tod
 WAV
 .wav

 MPEG-2 PS
 .mod/.mpg
 .mod/.mpg
 .mod/.mpg
 .wav
 .mag
 .mag

Note: supports up to 24 Megapoxel Jr+Ls lines. Some ties may not be played back property even though they are one of above formatis. To play back data saved on microSD card, microSD card adapter is required. SD/microSD card and microSD card adapter are not provided.

PC-less Direct DVD Creation



CU-VD50/VD3 Everio SHARE STATION® is a DVD burner that lets you archive your video files on DVD discs* without using a PC. HD Everio can create Full HD AVCHD discs as well as standard DVDs for convenient sharing. Just connect with Everio via USB, follow the simple instructions on Everio's LCD and you're done.



CU-VD50 Direct DVD Burner/Player

CU-VD3 Direct DVD Burner

*Footage recorded in the UXP mode cannot be stored to disc with CU-VD50/VD3. Use the Everio MediaBrowser software on your PC to store footage onto Blu-ray disc or hard disk drive.

Feature Comparison Chart

		HD Everio	HD Everio	HD Everio	HD Everio	HD Everio
		IND EVENTION IN IN		NO EVENTED	JK 10	I LVETTO
		GZ-HM550	GZ-HD620	GZ-HD500	GZ-HM320	GZ-HM300
Body color						
Internal Storage	e Media	32GB Flash	120GB HDD	80GB HDD	8GB Flash	
Memory Card S	ilot	SD/SDHC	microSD/SDHC	microSD/SDHC	SD/SDHC	Dual SD/SDHC
Image Sensor		1/2.3" 10.62M CMOS (Back-illuminated)	1/4" 3.32M CMOS (Back-illuminated)	1/5.8" 1.37M CMOS	1/5.8" 1.37M CMOS	1/5.8" 1.37M CMOS
Full HD 1920x1	080 Recording	•	•	•	•	•
1080/60P Output		•	•	•	•	•
HDMI® (V.1.3 wi	th x.v.Color™)	•	•	•	•	•
24Mbps High B	it Rate Recording	•	•	•	•	•
Zoom Ratios	(Optical)	10x	30x	20x	20x	20x
	(Dynamic)	16x*				
	(Digital)	200x	200x	200x	200x	200x
Built-in Bluetoo	the Wireless Technology	•				
Super LoLux		•	•			
Advanced Imag	e Stabilizer	•	•	•	•	•
Time-Lapse RE	с	•	•	•	•	•
Auto REC		•	•	•	•	•
Seamless Reco	rding	•			•	•
Face Detection	& Face Flow Thumbnail	•	•	•	•	•
Auto Flash		•				
Auto Illumi. Ligi	nt	•	•			
One Touch Exp	ort	•	•			
One Touch Uple	ad to YouTube™	•	•	•	•	•
Laser Touch Op	eration	•	•	•	•	•
DSC Function		•	•	•	•	•
2-Way Grip Bel	t	•	•	•	•	•
Everio MediaBrowser		• (HD)	• (HD)	• (HD)	• (HD)	• (HD)
SHARE STATIO	N [®] Compatible	•	•			
Remote Contro		•	•			
Dimensions with battery (inch (mm))		2-3/16x2-1/2x4-9/16 (55x62x115)	2-1/8x2-1/2x4-9/16 (53x63x115)	2-1/8x2-1/2x4-9/16 (53x63x115)	2-1/16x2-1/2x4-9/16 (52x62x115)	2-1/16x2-1/2x4-9/16 (52x62x11
Weight with battery (lbs (g))		0.67 (300)	0.69 (310)	0.68 (305)	0.57 (255)	0.57 (255)

		Everio	Everio	Everio	Everio
		GZ-MG750	GZ-MS250	GZ-MS230	GZ-MS110
Body color					
Internal Storag	e Media	80GB HDD	32GB Flash	8GB Flash	
Memory Card	Slot	microSD/SDHC	SD/SDHC	SD/SDHC	SD/SDHC
Image Sensor		800K CCD	800K CCD	800K CCD	800K CCD
Full HD 1920x1	080 Recording				
1080/60P Outp	ut				
HDMI® (V.1.3 w	rith x.v.Color™)				
24Mbps High E	Bit Rate Recording				
Zoom Ratios	(Optical)	39x	39x	39x	39x
	(Dynamic)	45x	45x	45x	45x
	(Digital)	800x	800x	800x	800x
Built-in Bluetoo	oth® Wireless Technology				
Super LoLux		•	•	•	•
Advanced Imag	ge Stabilizer	•	•	•	•
Time-Lapse RE	EC	•	•	•	•
Auto REC		•	•	•	•
Seamless Reco	ording				
Face Detection	h & Face Flow Thumbnail				
Auto Flash					
Auto Illumi. Lig	ht	•	•	•	
One Touch Exp	port	•	•	•	
One Touch Upl	oad to YouTube™	•	•	•	•
Laser Touch O	peration	•	•	•	
DSC Function		•	•	•	
2-Way Grip Be	lt	•	•	•	•
Everio MediaB	rowser	•	•	•	•
SHARE STATIC	N [®] Compatible	•			
Remote Contro	bl				
Dimensions wi	th battery (inch (mm))	2-1/8x2-1/2x4-9/16 (53x63x115)	2-1/16x2-1/2x4-9/16 (52x62x115)	2-1/16x2-1/2x4-9/16 (52x62x115)	2-1/16x2-1/2x4-9/16 (52x62x115)
Weight with ba	ittery (lbs (g))	0.62 (280)	0.51 (230)	0.51 (230)	0.49 (220)

Approx. recording times for each storage media

High Definition Models

-					
Mode	120GB HDD	80GB HDD	32GB Flash	8GB Flash	32GB SDHC Card
UXP	11hr	7hr 20min	2hr 55min	40min	2hr 40min
ХР	15hr	10hr	4hr 5min	1hr	4hr
SP	21hr	14hr	5hr 50min	1hr 25min	5hr 52min
EP	50hr	33hr	14hr 40min	3hr 35min	14hr 40min

Standard Definition Models

Mode	80GB HDD	32GB Flash	8GB Flash	32GB SDHC Card	
Ultra	19hr	7hr 30min	1hr 50min	7hr 30min	
Fine	28hr 20min	11hr 20min	2hr 45min	11hr 20min	
Norm	37hr 40min	15hr	3hr 40min	15hr	
Eco	100hr	40hr	9hr 50min	40hr	

Optional Accessories



Other Storage and Playback Solutions Recommended Hard Disk Drives / BD Burner

AC Power Adapter Just connect with Everio via FreeAgent[™] Desk Hard Disk, Design by Neil Poulton LG Blu-ray Drive BE06LU10 Rechargeable Battery Pack 500GB, 1TB, 1.5TB USB*. Recorded data can be 500GB, 750GB, 1TB Creates Blu-ray discs without a PC! AV Cable stored and played back with easy USB Cable operation via connected Everio. Component Video Cable (Selected models) LACIE Remote Control (Selected models) *Ontional LISB cable required LG Electronics Software CD-ROM

Note: Not all accessories available in every region. Please check with your dealer.

Design and specifications subject to change without notice. The photos of the products featured on this catalog may not be of actual products that are available in your country.

It should be noted that it may be unlawful to re-record pre-recorded tapes, records, or discs without the consent of the owner of copyright in the sound or video recording, broadcast or cable program and in any literary, dramatic, musical, or artistic work embodied therein. HDD models cannot be used in low pressure areas (generally places that are more than 10,000 feet (3,000 meters) above sea level).

Microsoft* and Windows* are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Tiunes, iPod, and iPhone are trademarks of Apple Inc. registered in the United States and other countries. This product's YouTubent United Trademarks of Microsoft Corporation in the United States and/or other countries. This product is not an endorsement or recommendation of the product by YouTube and United Trademarks and/or other countries. This product is not an endorsement or recommendation of the product by YouTube and the VouTube log one trademarks and/or registered trademarks of VouTube LC.

"SHARE STATION" is a trademark of Victor Company of Japan, Limited (JVC), registered in the United States and the European Union. "AVCHD" and the "AVCHD" logo are trademarks of Panasonic Corporation and Sony Corporation. Dolby and the double-D symbol are registered trademarks of Dolby Laboratories. The 5D and SDHC logos are trademarks of the SD Card Association. The Bluetodth" word mark and logos are registered trademarks of Bill aboratories. The 5D and SDHC logos are trademarks of the SD Card Association. The Bluetodth" word mark and logos are registered trademarks of Bill aboratories are trademarks of Subart addemarks, or trade manes of their respective holders. Screen images and print samples on this catalog are simulated unless otherwise specified. Copyright@ 2010, Victor Company of Japan, Limited (JVC), All Rights Reserved.



AVAILABLE AT